



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## MHUB9 3-1/2" Mall CNDT Hub

*Crouse-Hinds*

Catalog Number	MHUB9
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Mhub Conduit Hub, Malleable Iron, 3-1/2"
Weight per unit	0.0500 (lbs/each)
Product Category	Rigid Conduit Fittings - Steel

### Features

connection	Male Threaded, Tapered Female Threaded
dimensions	5.8200 IN X 5.1100 IN X 3.2100 IN
Material	Malleable Iron

### Material, Color, and Finish

Finish	Zinc Electroplated
--------	--------------------

### Dimensions and Weight

Size	3-1/2 in
------	----------

### Descriptions

Description	3-1/2" MALL CNDT HUB
extra long description	MIDWEST MHUB9 3 1/2 COND HUB MALLEA
Features	The use of rigid/IMC conduit remains the preferred choice in many applications because of the physical protection of conductors and long service life of the installation. Consequently, the need to terminate conduit into a box or enclosure creates the need for a hub. The Crouse-Hinds series commercial hub has been developed to provide a lightweight hub that installs quickly and easily, providing a secure termination.
Long Description	Eaton Crouse-Hinds series MHUB conduit hub, Malleable iron, 3-1/2"
Product Type	3 1/2 Cond Hub Malleable Iron
Special Features	Weight 5 Lb per 100

### Manufacturer Information

Brand	Eaton
GTIN	00784564002938
Manufacturers Part Number	MHUB9
UPC	784564002938

### Taxonomies, Classifications, and Categories

Category Description	STEEL EMT FITTINGS
Type	Conduit hub



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Packaging

Carton	1
Weight Per each	0.05

## Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure standard	Class I Div 2, Class II Div 1 2, Class III Div 1 2, NEMA FB-1 UL 514B, CUL, CSA C22.2