

ELLIOTT ELECTRIC SUPPLY 555 E. 15th Street 72701-0000, AR Fayetteville Phone: 479-443-4948 Fax: 479-443-6465

ð.	N6SP #6 AI-Cu Split Bolt Nsi Industries	
Catalog Number		N6SP
Manufacturer		Nsi Industries
Descriptio	n	All Purpose Split Bolt Connector 6 Awg Is Used For Combinations Of Aluminum to Copper, Aluminum to Aluminum, Steel to Aluminum, Copper to Copper, and Steel to Copper Applications. They Have An Electro-Tinned Body. UI Listed For Copper and Copperweld Wires Only. Includes Nut, Spacer and Pressure Pad.
Weight pe	er unit	0.0600 (lbs/each)
Product C	ategory	Large Terminals & Connectors
Features		
Number o	of Conductors	2
Poles		1
Voltage Ra	ating	600 V
Warranty		1 YEAR
Wire Size		14 STR - 8 STR
Wire Type	2	Class A & B
	lor, and Finish	
		Tin Plated Copper
	Actorial	Tin Plated Copper
-	Naterial	Copper
Dimensions a Size	•	L=1.062 - W=.492
		L-1.002 - W472
Descriptions		#6 AL-CU SPLIT BOLT
Descriptio	n I description	NSI N-6SP Split Bolt Copper 6 Tin P
Features	description	All Purpose Split Bolt Connector 6 AWG: All Purpose Split Bolt
reatures		Connectors are used for combinations of aluminum to copper, aluminum to aluminum, steel to aluminum, copper to copper, and steel to copper applications. They have an electro-tinned body. UL listed for copper and copperweld wires only. Includes nut, spacer and pressure pad.
Long Desc	ription	All Purpose Split Bolt Connector 6 AWG is used for combinations of aluminum to copper, aluminum to aluminum, steel to aluminum, copper to copper, and steel to copper applications. They have an electro-tinned body. UL listed for copper and copperweld wires only. Includes nut, spacer and pressure pad.
Product T	уре	Split Bolt Copper 6 Tin Plated
Special Features		14 STR-8 STR - 100 Pack



ELLIOT ELECTRIC SUPPLY Mar Deliver Cost Quality Products, & Personal Service 555 E. 15th Street 72701-0000, AR Fayetteville Phone: 479-443-4948 Fax: 479-443-6465

Manufacturer Information

Brand	NSi		
GTIN	00662381020321		
Manufacturers Part Number	N-6SP		
UPC	662381020321		
Taxonomies, Classifications, and Ca	tegories		
Category Description			
Туре	Tin Plated Copper Split Bolt		
Packaging			
Carton	1		
Weight Per each	0.06		
Uses, Certifications, and Standards			
Application	Wire Termination		
environmental conditions	90 C		
standard	UL486B		