



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## PTTR63I TR Ehd 20A 125V Iv

*Pass & Seymour/Legrand*

|                  |   |
|------------------|---|
| Catalog Number   | PTTR63I   |
| Manufacturer     | Pass & Seymour/Legrand  |
| Description      | Plugtail Registered Industrial Extra Heavy-Duty Spec Grade<br>Tamper-Resistant Receptacles, 20A, 125a |
| Weight per unit  | 0.2354 (lbs/each)   |
| Product Category | Gen Purpose Recept & Surge Pro  |

### Features

|                     |  |
|---------------------|--|
| amperage rating     | 20   |
| Dielectric Strength | Withstands 2000V minimum                         |
| indoor/outdoor      | Indoor   |
| Material            | Nylon  |
| media               | Yes  |
| Number of Wires     | 3  |
| Outlet Type         | Tamper-Resistant                                 |
| Poles               | 2  |
| Voltage             | 125.0 V  |
| Voltage Rating      | 125  |
| Wall Plate Included | NO   |
| Wattage             | Electrical power is expressed in Amps and Volts. |
| Wire Size           | 14 - 10  |

### Dimensions and Weight

|        |       |
|--------|-------|
| Height | 3.281 |
| Width  | .866  |

### Descriptions

|                        |  |
|------------------------|--|
| Description            | TR EHD 20A 125V IV   |
| extra long description | P&S PTTR63I TAMPER RESISTANT EHD 20  |
| Features               | Brass Mounting Strap   |
| Long Description       | PlugTail Registered Industrial Extra Heavy-Duty Spec Grade<br>Tamper-Resistant Receptacles, 20A, 125A  |
| Product Type           | Tamper Resistant Ehd 20A/125V Iv   |
| Special Features       | Dual mechanical shutter system to help prevent insertion of<br>foreign objects. Exclusive patented feature, circuit label on face<br>allows permanent circuit identification. .036 inch thick, brass,<br>triple-wipe power contacts for lasting retention. Strap tabs wrap<br>around and lock down on face to prevent strap from separating<br>from face and back body. Two drive screws anchor strap to back<br>body and face. No exposed terminals create a finger safe<br>application before, during, and after installation. Built-in<br>connector |



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Manufacturer Information

|                           |                |
|---------------------------|----------------|
| Brand                     | Pass & Seymour |
| GTIN                      | 00785007860405 |
| Manufacturers Part Number | PTTR63-I       |
| UPC                       | 785007860405   |

## Taxonomies, Classifications, and Categories

|                      |  |
|----------------------|--|
| Category Description | Commercial receptacles   |
| Type                 | PlugTail™ Tamper-Resistant Spec Grade Receptacle, Extra Heavy-Duty |

## Trade Size

|          |      |
|----------|------|
| Amperage | 20.0 |
|----------|------|

## Packaging

|                 |        |
|-----------------|--------|
| Carton          | 1      |
| Package         | 100    |
| Weight Per each | 0.2354 |

## Uses, Certifications, and Standards

|                          |                                      |
|--------------------------|--------------------------------------|
| Application              | Commercial                           |
| environmental conditions | Flammability: UL94 V2                |
| Mounting                 | WALL                                 |
| nema rating              | 5-20R                                |
| Operating Temperature    | -40°-60°C                            |
| standard                 | FEDSPEC, CULUS, cULus UL498, FEDSPEC |