

77909 - Q45MR16HIR/CCG35

GE halogen 45 watt MR16 1-pack

Compact size, white light, excellent color Precise optical control delivers a concentrated beam of light right where it's needed

• Estimated yearly energy costs \$5.42 based on 3 hours per day \$0.11 per kWh

• GE halogen bulbs deliver crisp, white light. This unsurpassed light quality is ideal for adding depth, drama and interest inside and outside your home. Use GE halogen MR16 bulbs in indoor track and recessed lighting and outdoor directional lighting to create a dramatic effect

- Input Voltage = 12 volts
- Lasts 4.6 years based on 3 hours per day usage
- MR16 shape with 2-Pin (GU5.3) base for use directional fixtures such as recessed can lighting

RoHs Compliant



GENERAL CHARACTERISTICS

Lamp Type	Halogen - MR
Bulb	MR16
Base	2-Pin (GU5.3)
Filament	CC-8
Rated Life	5000.0 hrs
Lamp Enclosure Type (LET)	Covered glass
Primary Application	Indoor Floodlight

PHOTOMETRIC CHARACTERISTICS

Center Beam Candlepower 2300.0 (CBCP) Color Temperature Beam Spread

3000.0 K 35.0 °

ELECTRICAL CHARACTERISTICS

Wattage	45.0
Voltage	12.0

DIMENSIONS

Maximum Overall Length (MOL) Bulb Diameter (DIA)

1.7700 in(45.0 mm)

2.000 in(50.8 mm)

PRODUCT INFORMATION

Product Code Description Standard Package Standard Package GTIN Standard Package Quantity Sales Unit No Of Items Per Sales Unit No Of Items Per Standard Package UPC

77909 Q45MR16HIR/CCG35 BUNDLE 10043168779095 20 Case 1 20

043168779098



77909 - Q45MR16HIR/CCG35

GE halogen 45 watt MR16 1-pack

Compact size, white light, excellent color Precise optical control delivers a concentrated beam of light right where it's needed

• Estimated yearly energy costs \$5.42 based on 3 hours per day \$0.11 per kWh

• GE halogen bulbs deliver crisp, white light. This unsurpassed light quality is ideal for adding depth, drama and interest inside and outside your home. Use GE halogen MR16 bulbs in indoor track and recessed lighting and outdoor directional lighting to create a dramatic effect

- Input Voltage = 12 volts
- Lasts 4.6 years based on 3 hours per day usage
- MR16 shape with 2-Pin (GU5.3) base for use directional fixtures such as recessed can lighting

RoHs Compliant



GENERAL CHARACTERISTICS

Lamp Type	Halogen - MR
Bulb	MR16
Base	2-Pin (GU5.3)
Filament	CC-8
Rated Life	5000.0 hrs
Lamp Enclosure Type (LET)	Covered glass
Primary Application	Indoor Floodlight

PHOTOMETRIC CHARACTERISTICS

Center Beam Candlepower 2300.0 (CBCP) Color Temperature Beam Spread

3000.0 K 35.0 °

ELECTRICAL CHARACTERISTICS

Wattage	45.0
Voltage	12.0

DIMENSIONS

Maximum Overall Length (MOL) Bulb Diameter (DIA)

1.7700 in(45.0 mm)

2.000 in(50.8 mm)

PRODUCT INFORMATION

Product Code Description Standard Package Standard Package GTIN Standard Package Quantity Sales Unit No Of Items Per Sales Unit No Of Items Per Standard Package UPC

77909 Q45MR16HIR/CCG35 BUNDLE 10043168779095 20 Case 1 20

043168779098