# Eaton QBGFT2015

# Catalog Number: QBGFT2015

Eaton QB GFCI circuit breaker,Ground fault circuit breaker,15A,10 kAIC,Two-pole,120/240V,Common trip,5 mA Trip sensitivity,#14–10 Cu, #12–10 AI,QBGF

# General specifications

Product Name Eaton QB GFCI circuit breaker

UPC 786676026703

Product Height 2 in

Product Weight 0.6 lb

Certifications UL 489 Catalog Number QBGFT2015 Product Length/Depth 4.5 in

Product Width 2.75 in

Warranty

1 year

Catalog Notes HACR rated



Photo is representative



# **Physical Attributes**

Circuit breaker type QBGF

Mounting Method Bolt-on

### Number of poles

Two-pole

Type Ground fault circuit breaker

Wire size #14-10 AWG Cu #12-10 AWG AI

## Performance Ratings

Amperage Rating

15 A

Interrupt rating 10 kAIC

Trip Type Common trip

Trip rating 5 mA trip sensitivity

Voltage rating

120/240 V

## Miscellaneous

Special features 5 mA Trip Sensitivity

#### Resources

Brochures Loadcenters and Circuit Breakers

Specifications and datasheets Eaton Specification Sheet - QBGFT2015



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

© 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

# Eaton QBGFT2015

# Catalog Number: QBGFT2015

Eaton QB GFCI circuit breaker,Ground fault circuit breaker,15A,10 kAIC,Two-pole,120/240V,Common trip,5 mA Trip sensitivity,#14–10 Cu, #12–10 AI,QBGF

# General specifications

Product Name Eaton QB GFCI circuit breaker

UPC 786676026703

Product Height 2 in

Product Weight 0.6 lb

Certifications UL 489 Catalog Number QBGFT2015 Product Length/Depth 4.5 in

Product Width 2.75 in

Warranty

1 year

Catalog Notes HACR rated



Photo is representative



# **Physical Attributes**

Circuit breaker type QBGF

Mounting Method Bolt-on

### Number of poles

Two-pole

Type Ground fault circuit breaker

Wire size #14-10 AWG Cu #12-10 AWG AI

## Performance Ratings

Amperage Rating

15 A

Interrupt rating 10 kAIC

Trip Type Common trip

Trip rating 5 mA trip sensitivity

Voltage rating

120/240 V

## Miscellaneous

Special features 5 mA Trip Sensitivity

#### Resources

Brochures Loadcenters and Circuit Breakers

Specifications and datasheets Eaton Specification Sheet - QBGFT2015



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

© 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia