# Eaton QBGFT2030

## Catalog Number: QBGFT2030

Eaton QB GFCI circuit breaker, Ground fault circuit breaker, 30A, 10 kAIC, Two-pole, 120/240V, Common trip, 5 mA Trip sensitivity, #10 Cu, #8 AI, QBGF

### General specifications



**Product Name** 

Eaton QB GFCI circuit breaker

UPC

786676026734

**Product Height** 

2 in

**Product Weight** 

0.6 lb

Certifications

UL 489

Catalog Number

QBGFT2030

Product Length/Depth

4.5 in

**Product Width** 

2.75 in

Warranty

1 year

**Catalog Notes** 

HACR rated

Photo is representative



### **Physical Attributes**

Circuit breaker type

QBGF

Mounting Method

Bolt-on

Number of poles

Two-pole

Type

Ground fault circuit breaker

Wire size

#10 Cu, #8 Al

Miscellaneous

Special features

5 mA Trip Sensitivity

### Performance Ratings

Amperage Rating

30 A

Interrupt rating

10 kAIC

Trip Type

Common trip

Trip rating

5 mA trip sensitivity

Voltage rating

120/240 V

### Resources

**Brochures** 

Loadcenters and Circuit Breakers

Specifications and datasheets

Eaton Specification Sheet - QBGFT2030



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

# Eaton QBGFT2030

## Catalog Number: QBGFT2030

Eaton QB GFCI circuit breaker, Ground fault circuit breaker, 30A, 10 kAIC, Two-pole, 120/240V, Common trip, 5 mA Trip sensitivity, #10 Cu, #8 AI, QBGF

### General specifications



**Product Name** 

Eaton QB GFCI circuit breaker

UPC

786676026734

**Product Height** 

2 in

**Product Weight** 

0.6 lb

Certifications

UL 489

Catalog Number

QBGFT2030

Product Length/Depth

4.5 in

**Product Width** 

2.75 in

Warranty

1 year

**Catalog Notes** 

HACR rated

Photo is representative



### **Physical Attributes**

Circuit breaker type

QBGF

Mounting Method

Bolt-on

Number of poles

Two-pole

Type

Ground fault circuit breaker

Wire size

#10 Cu, #8 Al

Miscellaneous

Special features

5 mA Trip Sensitivity

### Performance Ratings

Amperage Rating

30 A

Interrupt rating

10 kAIC

Trip Type

Common trip

Trip rating

5 mA trip sensitivity

Voltage rating

120/240 V

### Resources

**Brochures** 

Loadcenters and Circuit Breakers

Specifications and datasheets

Eaton Specification Sheet - QBGFT2030



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia