# Eaton REN-20

# Catalog Number: REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Nonindicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

# General specifications

## **Product Name** Catalog Number REN-20 Eaton Bussmann series REN fuse UPC EAN 051712100205 Product Length/Depth 0.56 in 2 in **Product Width** 0.56 in 0.41 lb

Warranty Not Applicable

5027590098250 **Product Height Product Weight** Compliances

Not Applicable **RoHS** Compliant



Photo is representative



# Electrical rating

#### Amperage Rating

20 A

Interrupt rating 10 kAIC

# Voltage rating

250 V

# Physical details

Packaging type

Standard

# General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

## Resources

## Catalogs

Bussmann series complete full line catalog no. 1007 REN-20~SUPER LAG RENEWABLE FUSE 20/250

#### Multimedia

Bussmann series Fuseology

## Specifications and datasheets

Eaton Specification Sheet - REN-20



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia

# Eaton REN-20

# Catalog Number: REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Nonindicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

# General specifications

## **Product Name** Catalog Number REN-20 Eaton Bussmann series REN fuse UPC EAN 051712100205 Product Length/Depth 0.56 in 2 in **Product Width** 0.56 in 0.41 lb

Warranty Not Applicable

5027590098250 **Product Height Product Weight** Compliances

Not Applicable **RoHS** Compliant



Photo is representative



# Electrical rating

#### Amperage Rating

20 A

Interrupt rating 10 kAIC

# Voltage rating

250 V

# Physical details

Packaging type

Standard

# General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

## Resources

## Catalogs

Bussmann series complete full line catalog no. 1007 REN-20~SUPER LAG RENEWABLE FUSE 20/250

#### Multimedia

Bussmann series Fuseology

## Specifications and datasheets

Eaton Specification Sheet - REN-20



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia