WATTSTOPPER®

radiant® Fan Speed Control 120V, 1.6A




RHDH163PTC

Simple, stylish fan speed control.

RHDH163PTC/RHDH163PW

radiant® dimmers and fan controls help save energy simply, and as part of the radiant collection, now offer a better fit, form and finish. This fan control offers a specially designed capacitive circuitry de-hummer feature that virtually eliminates fan motor "hum" for quiet fan speed control.

Features & Benefits



White LED glows when device is OFF to make dimmer easy to find in the dark.

Sleek, ergonomic design that matches today's styles.

Convenient operation: combines ON/OFF paddle switch with separate slider for dimming control.

Wider slide controller: for easier dimming operation.

RHDH163PW


- **3-speed fan control.**
- **Preset, Single Pole and 3-Way operation.**
- **Interchangeable face plates** available in eight colors (RHKIT*; sold separately).

3rd Party Compliance

cULus Listed, Standard UL1472, Standard CSA

Technical Information

Performance	
Electrical	
Supply Voltage	120VAC
Ratings	1.6A
Frequency	60Hz
Installation	Single Pole or 3-Way (Flying Leads)
Environmental	
Application	Indoor Use Only
Mechanical	
Enclosure Material	Polycarbonate



RHDH163PW

Warranty
Lifetime

Ordering Information

radiant® Incandescent Dimmers

Catalog Number	Description	Color	Voltage	Rating
RHDH163PTC	Preset, Single Pole and 3-Way	Three interchangeable Face Colors: Ivory, White, Light Almond	120VAC 60Hz	1.6A
RHDH163PW	Preset, Single Pole and 3-Way	Face Color: White	120VAC 60Hz	1.6A
RHKIT	Interchangeable Faces	Brown		
RHKITBK		Black		
RHKITGRY		Gray		
RHKITI		Ivory		
RHKITLA		Light Almond		
RHKITNI		Nickel		
RHKITW		White		
RHKITDB		Dark Bronze		

Vertical Markets

- Office
- Residential
- Multiple Dwelling
- Hospitality/Lodging

Also available in the radiant® collection

- GFCI Receptacles
- Tamper-Resistant and Standard Duplex Receptacles
- Paddle Switches
- Fan Controls
- Sensors
- Timers
- Home Automation Controls
- USB Charging Devices
- Night Lights
- Screwless Wall Plates

The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.

Legrand, North America
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

FOLLOW US

SP20212 September 2016 ©2016 Legrand All Rights Reserved

WATTSTOPPER®

radiant® Fan Speed Control 120V, 1.6A




RHDH163PTC

Simple, stylish fan speed control.

RHDH163PTC/RHDH163PW

radiant® dimmers and fan controls help save energy simply, and as part of the radiant collection, now offer a better fit, form and finish. This fan control offers a specially designed capacitive circuitry de-hummer feature that virtually eliminates fan motor "hum" for quiet fan speed control.

Features & Benefits



White LED glows when device is OFF to make dimmer easy to find in the dark.

Sleek, ergonomic design that matches today's styles.

Convenient operation: combines ON/OFF paddle switch with separate slider for dimming control.

Wider slide controller: for easier dimming operation.

RHDH163PW


- **3-speed fan control.**
- **Preset, Single Pole and 3-Way operation.**
- **Interchangeable face plates** available in eight colors (RHKIT*; sold separately).

3rd Party Compliance

cULus Listed, Standard UL1472, Standard CSA

Technical Information

Performance	
Electrical	
Supply Voltage	120VAC
Ratings	1.6A
Frequency	60Hz
Installation	Single Pole or 3-Way (Flying Leads)
Environmental	
Application	Indoor Use Only
Mechanical	
Enclosure Material	Polycarbonate



RHDH163PW

Warranty
Lifetime

Ordering Information

radiant® Incandescent Dimmers

Catalog Number	Description	Color	Voltage	Rating
RHDH163PTC	Preset, Single Pole and 3-Way	Three interchangeable Face Colors: Ivory, White, Light Almond	120VAC 60Hz	1.6A
RHDH163PW	Preset, Single Pole and 3-Way	Face Color: White	120VAC 60Hz	1.6A
RHKIT	Interchangeable Faces	Brown		
RHKITBK		Black		
RHKITGRY		Gray		
RHKITI		Ivory		
RHKITLA		Light Almond		
RHKITNI		Nickel		
RHKITW		White		
RHKITDB		Dark Bronze		

Vertical Markets

- Office
- Residential
- Multiple Dwelling
- Hospitality/Lodging

Also available in the radiant® collection

- GFCI Receptacles
- Tamper-Resistant and Standard Duplex Receptacles
- Paddle Switches
- Fan Controls
- Sensors
- Timers
- Home Automation Controls
- USB Charging Devices
- Night Lights
- Screwless Wall Plates

The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.

Legrand, North America
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

FOLLOW US

SP20212 September 2016 ©2016 Legrand All Rights Reserved