

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## **RSP55 1-1/2" Cond 2-Hub Plate** *Crouse-Hinds*

Soon Crouse-Hirlas	
Catalog Number	RSP55
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series RS/RSM Conduit Hub Plate, 8-1/2" X 4", Feraloy Iron Alloy, 2 Hubs, 1-1/2" Trade Size
Weight per unit	2.7 (lbs/each)
Product Category	Cast Boxes
Features	
dimensions	8.0000 IN X 1.2500 IN X 3.5000 IN
Material	FERALOY IRON ALLOY
<b>Dimensions and Weight</b>	
Height	3.5
Length	8
Size	1-1/2 in
Width	1.25
Descriptions	
Description	1-1/2" COND 2-HUB PLATE
extra long description	CRS-H RSP55 1 1/2 2 HUB PLT 8 1/2 X
Features	Crouse-Hinds series RS, RSM and RSS junction boxes are installed in conduit systems to act as pull boxes for conductors, provide openings and space for making splices and taps in conductors, provide for branch conduit runs, and provide access to conductors for maintenance and future system changes. RS, RSM and RSS junction boxes are designed with configurable conduit hub plates, permitting a wide range of hub arrangements and sizes.
Long Description	Eaton Crouse-Hinds series RS/RSM conduit hub plate, 8-1/2" x 4", Feraloy iron alloy, 2 hubs, 1-1/2" trade size
Product Type	1 1/2 2 Hub PLT 8 1/2 X 4 Side RS/RSM BX
Special Features	For Use With 8-1/2 In X 4 In Sides Of Box
Manufacturer Information	
Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274598505
Manufacturers Part Number	RSP55
UPC	782274598505

## Taxonomies, Classifications, and Categories

Category Description	HUB STYLE BOXES (GUAB, GUAT, ETC)
Type	Conduit Hub Plate



standard

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Weight Per each	2.71
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Power Distribution and Control

UL 514A, CSA C22.2