

General-Purpose Encapsulated Transformer

S20N11P51P

UPC:786680073731

Dimensions:

- Height: 9.34 IN
- Length: 5.18 IN
- Width: 4.45 IN

Weight:14 LB

Warranties:

• Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Type:** General-Purpose Encapsulated Transformer
- Design: EP
- Coil Material: Aluminum windings
- Enclosure: NEMA 3R
- Frame: 57P
- Frequency Rating: 60 Hz
- Phase: Single-phase
- Primary Voltage: 240 X 480V
- Secondary Voltage: 120/240V
- Tap Size: NONE
- Temperature Rating: 115°C
- Volt Ampere Rating: 0.5 KVA
- Weathershield: Indoor-Outdoor
- Wiring Connection: 3A

Supporting documents:

- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet S20N11P51P

Certifications:

pe.eaton.com



• UL Listed

Product compliance: No Data

© 2016 Eaton. All rights reserved.



General-Purpose Encapsulated Transformer

S20N11P51P

UPC:786680073731

Dimensions:

- Height: 9.34 IN
- Length: 5.18 IN
- Width: 4.45 IN

Weight:14 LB

Warranties:

• Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Type:** General-Purpose Encapsulated Transformer
- Design: EP
- Coil Material: Aluminum windings
- Enclosure: NEMA 3R
- Frame: 57P
- Frequency Rating: 60 Hz
- Phase: Single-phase
- Primary Voltage: 240 X 480V
- Secondary Voltage: 120/240V
- Tap Size: NONE
- Temperature Rating: 115°C
- Volt Ampere Rating: 0.5 KVA
- Weathershield: Indoor-Outdoor
- Wiring Connection: 3A

Supporting documents:

- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet S20N11P51P

Certifications:

pe.eaton.com



• UL Listed

Product compliance: No Data

© 2016 Eaton. All rights reserved.