

Emergency response

When disaster hits, you'll need to act quickly. Eaton's wiring device solutions can power the tools to help get you back on your feet. Our wide selection of devices will enable you to rebuild your home or business.

Complete the order form on the next two pages and fax orders directly to us at 1-800-723-5516 or email orders to hotcwdorders@eaton.com.

EMERGENCY RESPONSE ORDERING PROCEDURE:

1. Complete the order form
2. Fax the form to **(800) 723-5516** or email the form to hotcwdorders@eaton.com
3. **IMPORTANT:** Call one of the contacts below to ensure that your order is processed and shipped as quickly as possible.

Tamekia Woods, **P: (678) 362-8886**
Customer Service Supervisor

Peter Stemmler, **P: (616) 822-9363**
Regional Segment Manager - Central

Chris Adams, **P: (720) 290-3453**
Regional Segment Manager - Gulf Coast

Marc Goldman, **P: (619) 446-7639**
Regional Segment Manager - West

Ed Scannapieco, **P: (508) 380-5543**
Regional Segment Manager - Northeast

Jeff Richter, **P: (678) 327-3510**
Regional Segment Manager - Southeast



14W47
Watertight plug



15W47
Watertight connector



CS6364EX
50A connector



CS6365EX
50A plug



AHL1430C
Locking connector



AHL1430P
Locking plug



AHL1430R
Locking receptacle



AH5362B
Receptacle



AH5266
Plug



AH5269
Connector



RB302AE
RhinoBox



Powering Business Worldwide

EMERGENCY RESPONSE PRODUCTS

| Qty | Cat. No. | Amps | Volts | Description | Color | Unit price | SubTotal |
|-----|---------------|------|---------|---|---------------|------------|----------|
| | 1257-SP | 30 | 125/250 | Single flush receptacle; 3-pole, 4-wire | Black | | |
| | 14W47 | 15 | 125 | Watertight straight blade plug; 2-pole, 3-wire | Yellow | | |
| | 15W47 | 15 | 125 | Watertight straight blade connector; 2-pole, 3-wire | Yellow | | |
| | 83-BOX | 30 | 125 | Angled plug; travel trailer; 2-pole, 3-wire | Black | | |
| | AH5262B | 15 | 125 | Duplex receptacle; 2-pole, 3-wire | Brown | | |
| | AH5362B | 20 | 125 | Duplex receptacle; 2-pole, 3-wire | Brown | | |
| | AH5462B | 20 | 250 | Duplex receptacle; 2-pole, 3-wire | Brown | | |
| | CS6364EX | 50 | 125/250 | Pro grip California style nylon connector; 3-pole, 4-wire | Black | | |
| | CS6365EX | 50 | 125/250 | Pro grip California style nylon plug; 3-pole, 4-wire | Black | | |
| | AHL1420C | 20 | 125/250 | Locking ultra grip connector; 3-pole, 4-wire | Black & white | | |
| | AHL1420P | 20 | 125/250 | Locking ultra grip plug; 3-pole, 4-wire | Black & white | | |
| | AHL1420R | 20 | 125/250 | Locking single receptacle; 3-pole, 4-wire | Black | | |
| | AHL1430C | 30 | 125/250 | Locking ultra grip connector; 3-pole, 4-wire | Black & white | | |
| | AHL1430P | 30 | 125/250 | Locking ultra grip plug; 3-pole, 4-wire | Black & white | | |
| | AHL1430R | 30 | 125/250 | Locking single receptacle; 3-pole, 4-wire | Black | | |
| | AHL520C | 20 | 125 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL520P | 20 | 125 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL520R | 20 | 125 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL530C | 30 | 125 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL530P | 30 | 125 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL530R | 30 | 125 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL620C | 20 | 250 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL620P | 20 | 250 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL620R | 20 | 250 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL630C | 30 | 250 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL630P | 30 | 250 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL630R | 30 | 250 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL720C | 20 | 277 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL720P | 20 | 277 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | E-Z1016-8362K | - | 400 | Double set screw male Cam-lok plug; 2/0-4/0 cable | Black | | |
| | E-Z1016-8387K | - | 400 | Double set screw female Cam-lok plug; 2/0-4/0 cable | Black | | |
| | GFI11A139 | 15 | 120 | Inline 2' 12/3 cord tri-tap auto GFCI reset | - | | |
| | GFI11M139 | 15 | 120 | Inline 2' 12/3 cord tri-tap manual GFCI reset | - | | |
| | GFI11M155 | 15 | 120 | Inline watertight 2' 12/3 cord; straight blade plug & connector | - | | |
| | L1630CW | 30 | 480 | Locking watertight connector; 3Ø 3-pole, 4-wire | Yellow | | |
| | L1630PW | 30 | 480 | Locking watertight plug; 3Ø 3-pole, 4-wire | Yellow | | |
| | PC50AE | 50 | 125/250 | Pro grip California style cord set; 50' #6/4 | Black | | |
| | PC50BE | 50 | 125/250 | Pro grip California style cord set; 100' #6/4 | Black | | |

Subtotal:

EMERGENCY RESPONSE PRODUCTS

| Qty | Cat. No. | Amps | Volts | Description | Color | Unit price | SubTotal |
|-----|----------|-------|---------|---|---------------|------------|----------|
| | RB300AE | 50 | 125/250 | RhinoBox NEMA 3R duplex receptacle w/auto GFCI reset | Yellow | | |
| | RB300ME | 50 | 125/250 | RhinoBox NEMA 3R duplex receptacle w/manual GFCI reset | Yellow | | |
| | RB302AE | 50 | 125/250 | RhinoBox NEMA 3R locking receptacle w/auto GFCI reset | Yellow | | |
| | RB302ME | 50 | 125/250 | RhinoBox NEMA 3R locking receptacle w/manual GFCI reset | Yellow | | |
| | S21-SP | 30/50 | 125/250 | Angled plug; universal; 3-pole, 4-wire | Black | | |
| | 1212 | 50 | 125/250 | Single surface receptacle; 3-pole, 4-wire | Black | | |
| | 1225 | 30 | 125/250 | Single surface receptacle; 3-pole, 4-wire | Black | | |
| | AH5266 | 15 | 125 | Ultra grip straight blade plug; 2-pole, 3-wire | Black & white | | |
| | AH5269 | 15 | 125 | Ultra grip straight blade connector; 2-pole, 3-wire | Black & white | | |
| | AH5366 | 20 | 125 | Ultra grip straight blade plug; 2-pole, 3-wire | Black & white | | |
| | AH5369 | 20 | 125 | Ultra grip straight blade connector; 2-pole, 3-wire | Black & white | | |
| | AH5466 | 20 | 250 | Ultra grip straight blade plug; 2-pole, 3-wire | Black & white | | |
| | AH5469 | 20 | 250 | Ultra grip straight blade connector; 2-pole, 3-wire | Black & white | | |

Compliances, specifications and availability are subject to change without notice.

Subtotal: _____
 Subtotal pg 2: _____
 Total: _____

EMERGENCY RESPONSE ORDERING PROCEDURE:

1. Complete the order form
2. Fax the form to **(800) 723-5516** or email the form to **hotcworders@eaton.com**
3. **IMPORTANT:** Call one of the contacts below to ensure that your order is processed and shipped as quickly as possible.

Tamekia Woods, **P: (678) 362-8886**
 Customer Service Supervisor

Peter Stemmler, **P: (616) 822-9363**
 Regional Segment Manager - Central

Chris Adams, **P: (720) 290-3453**
 Regional Segment Manager - Gulf Coast

Marc Goldman, **P: (619) 446-7639**
 Regional Segment Manager - West

Ed Scannapieco, **P: (508) 380-5543**
 Regional Segment Manager - Northeast

Jeff Richter, **P: (678) 327-3510**
 Regional Segment Manager - Southeast

Account#: _____ PO #: _____

Delivery Date: _____

Name: _____

Title: _____

Company: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Phone #: _____ Fax #: _____

Email: _____

Eaton
 1000 Eaton Boulevard
 Cleveland, OH 44122
 United States
 Eaton.com

Electrical Sector
 203 Cooper Circle
 Peachtree City, GA 30269
 United States
 Eaton.com
 Arrowhart.com

© 2014 Eaton
 All Rights Reserved
 Printed in USA
 Publication No. E625-0008-14
 August 2014

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Emergency response

When disaster hits, you'll need to act quickly. Eaton's wiring device solutions can power the tools to help get you back on your feet. Our wide selection of devices will enable you to rebuild your home or business.

Complete the order form on the next two pages and fax orders directly to us at 1-800-723-5516 or email orders to hotcwdorders@eaton.com.

EMERGENCY RESPONSE ORDERING PROCEDURE:

1. Complete the order form
2. Fax the form to **(800) 723-5516** or email the form to hotcwdorders@eaton.com
3. **IMPORTANT:** Call one of the contacts below to ensure that your order is processed and shipped as quickly as possible.

Tamekia Woods, **P: (678) 362-8886**
Customer Service Supervisor

Peter Stemmler, **P: (616) 822-9363**
Regional Segment Manager - Central

Chris Adams, **P: (720) 290-3453**
Regional Segment Manager - Gulf Coast

Marc Goldman, **P: (619) 446-7639**
Regional Segment Manager - West

Ed Scannapieco, **P: (508) 380-5543**
Regional Segment Manager - Northeast

Jeff Richter, **P: (678) 327-3510**
Regional Segment Manager - Southeast



14W47
Watertight plug



15W47
Watertight connector



CS6364EX
50A connector



CS6365EX
50A plug



AHL1430C
Locking connector



AHL1430P
Locking plug



AHL1430R
Locking receptacle



AH5362B
Receptacle



AH5266
Plug



AH5269
Connector



RB302AE
RhinoBox



Powering Business Worldwide

EMERGENCY RESPONSE PRODUCTS

| Qty | Cat. No. | Amps | Volts | Description | Color | Unit price | SubTotal |
|-----|---------------|------|---------|---|---------------|------------|----------|
| | 1257-SP | 30 | 125/250 | Single flush receptacle; 3-pole, 4-wire | Black | | |
| | 14W47 | 15 | 125 | Watertight straight blade plug; 2-pole, 3-wire | Yellow | | |
| | 15W47 | 15 | 125 | Watertight straight blade connector; 2-pole, 3-wire | Yellow | | |
| | 83-BOX | 30 | 125 | Angled plug; travel trailer; 2-pole, 3-wire | Black | | |
| | AH5262B | 15 | 125 | Duplex receptacle; 2-pole, 3-wire | Brown | | |
| | AH5362B | 20 | 125 | Duplex receptacle; 2-pole, 3-wire | Brown | | |
| | AH5462B | 20 | 250 | Duplex receptacle; 2-pole, 3-wire | Brown | | |
| | CS6364EX | 50 | 125/250 | Pro grip California style nylon connector; 3-pole, 4-wire | Black | | |
| | CS6365EX | 50 | 125/250 | Pro grip California style nylon plug; 3-pole, 4-wire | Black | | |
| | AHL1420C | 20 | 125/250 | Locking ultra grip connector; 3-pole, 4-wire | Black & white | | |
| | AHL1420P | 20 | 125/250 | Locking ultra grip plug; 3-pole, 4-wire | Black & white | | |
| | AHL1420R | 20 | 125/250 | Locking single receptacle; 3-pole, 4-wire | Black | | |
| | AHL1430C | 30 | 125/250 | Locking ultra grip connector; 3-pole, 4-wire | Black & white | | |
| | AHL1430P | 30 | 125/250 | Locking ultra grip plug; 3-pole, 4-wire | Black & white | | |
| | AHL1430R | 30 | 125/250 | Locking single receptacle; 3-pole, 4-wire | Black | | |
| | AHL520C | 20 | 125 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL520P | 20 | 125 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL520R | 20 | 125 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL530C | 30 | 125 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL530P | 30 | 125 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL530R | 30 | 125 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL620C | 20 | 250 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL620P | 20 | 250 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL620R | 20 | 250 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL630C | 30 | 250 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL630P | 30 | 250 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | AHL630R | 30 | 250 | Locking single receptacle; 2-pole, 3-wire | Black | | |
| | AHL720C | 20 | 277 | Locking ultra grip connector; 2-pole, 3-wire | Black & white | | |
| | AHL720P | 20 | 277 | Locking ultra grip plug; 2-pole, 3-wire | Black & white | | |
| | E-Z1016-8362K | - | 400 | Double set screw male Cam-lok plug; 2/0-4/0 cable | Black | | |
| | E-Z1016-8387K | - | 400 | Double set screw female Cam-lok plug; 2/0-4/0 cable | Black | | |
| | GFI11A139 | 15 | 120 | Inline 2' 12/3 cord tri-tap auto GFCI reset | - | | |
| | GFI11M139 | 15 | 120 | Inline 2' 12/3 cord tri-tap manual GFCI reset | - | | |
| | GFI11M155 | 15 | 120 | Inline watertight 2' 12/3 cord; straight blade plug & connector | - | | |
| | L1630CW | 30 | 480 | Locking watertight connector; 3Ø 3-pole, 4-wire | Yellow | | |
| | L1630PW | 30 | 480 | Locking watertight plug; 3Ø 3-pole, 4-wire | Yellow | | |
| | PC50AE | 50 | 125/250 | Pro grip California style cord set; 50' #6/4 | Black | | |
| | PC50BE | 50 | 125/250 | Pro grip California style cord set; 100' #6/4 | Black | | |

Subtotal:

EMERGENCY RESPONSE PRODUCTS

| Qty | Cat. No. | Amps | Volts | Description | Color | Unit price | SubTotal |
|-----|----------|-------|---------|---|---------------|------------|----------|
| | RB300AE | 50 | 125/250 | RhinoBox NEMA 3R duplex receptacle w/auto GFCI reset | Yellow | | |
| | RB300ME | 50 | 125/250 | RhinoBox NEMA 3R duplex receptacle w/manual GFCI reset | Yellow | | |
| | RB302AE | 50 | 125/250 | RhinoBox NEMA 3R locking receptacle w/auto GFCI reset | Yellow | | |
| | RB302ME | 50 | 125/250 | RhinoBox NEMA 3R locking receptacle w/manual GFCI reset | Yellow | | |
| | S21-SP | 30/50 | 125/250 | Angled plug; universal; 3-pole, 4-wire | Black | | |
| | 1212 | 50 | 125/250 | Single surface receptacle; 3-pole, 4-wire | Black | | |
| | 1225 | 30 | 125/250 | Single surface receptacle; 3-pole, 4-wire | Black | | |
| | AH5266 | 15 | 125 | Ultra grip straight blade plug; 2-pole, 3-wire | Black & white | | |
| | AH5269 | 15 | 125 | Ultra grip straight blade connector; 2-pole, 3-wire | Black & white | | |
| | AH5366 | 20 | 125 | Ultra grip straight blade plug; 2-pole, 3-wire | Black & white | | |
| | AH5369 | 20 | 125 | Ultra grip straight blade connector; 2-pole, 3-wire | Black & white | | |
| | AH5466 | 20 | 250 | Ultra grip straight blade plug; 2-pole, 3-wire | Black & white | | |
| | AH5469 | 20 | 250 | Ultra grip straight blade connector; 2-pole, 3-wire | Black & white | | |

Compliances, specifications and availability are subject to change without notice.

Subtotal: _____
 Subtotal pg 2: _____
 Total: _____

EMERGENCY RESPONSE ORDERING PROCEDURE:

1. Complete the order form
2. Fax the form to **(800) 723-5516** or email the form to **hotcworders@eaton.com**
3. **IMPORTANT:** Call one of the contacts below to ensure that your order is processed and shipped as quickly as possible.

Tamekia Woods, **P: (678) 362-8886**
 Customer Service Supervisor

Peter Stemmler, **P: (616) 822-9363**
 Regional Segment Manager - Central

Chris Adams, **P: (720) 290-3453**
 Regional Segment Manager - Gulf Coast

Marc Goldman, **P: (619) 446-7639**
 Regional Segment Manager - West

Ed Scannapieco, **P: (508) 380-5543**
 Regional Segment Manager - Northeast

Jeff Richter, **P: (678) 327-3510**
 Regional Segment Manager - Southeast

Account#: _____ PO #: _____

Delivery Date: _____

Name: _____

Title: _____

Company: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Phone #: _____ Fax #: _____

Email: _____

Eaton
 1000 Eaton Boulevard
 Cleveland, OH 44122
 United States
 Eaton.com

Electrical Sector
 203 Cooper Circle
 Peachtree City, GA 30269
 United States
 Eaton.com
 Arrowhart.com

© 2014 Eaton
 All Rights Reserved
 Printed in USA
 Publication No. E625-0008-14
 August 2014

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

