



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



S811+R13N3S Soft Starter 110MM 135A W/ Opt Inside The Delta *Eaton Corp*

Catalog Number	S811+R13N3S
Manufacturer	Eaton Corp
Description	Eaton S811+ Soft Starter, 135 A, R-Frame, Three-Pole, 24 V Power, -30°C to -50°C, 200-600 V Operating Voltage, 47 -63 HZ, 1-2 Conductors, #14-4/0 Awg Wire, 120 VDC, 240 Vac, Modbus Rtu, Nema 0, LCD Display
Weight per unit	12.5 (lbs/each)
Product Category	Soft Start Controllers & Start

Features

media	Yes
Poles	3

Dimensions and Weight

Depth	6.64
Height	7.92
Size	NEMA 0
Width	4.38

Descriptions

Description	SOFT STARTER 110MM 135A W/ OPT INSIDE THE DELTA
extra long description	ETN S811+R13N3S RVSS 110MM 135A W/O
Features	Advanced intelligence. Compact footprint. The S811+/S801+ line of intelligent technologies soft starters is designed to be the smallest, most compact soft starter in the market today. With this small size, it can easily fit in place of existing soft starter designs, wye-delta starters or across-the-line NEMA and IEC starters. This feature allows easy retrofits of existing motor control centers or enclosures and saves the expense of replacing existing structures or adding a new one to house a soft starter.
Long Description	Eaton S811+ soft starter, 135 A, R-frame, Three-pole, 24 V power, -30°C to -50°C, 200-600 V operating voltage, 47 -63 Hz, 1-2 conductors, #14-4/0 AWG wire, 120 Vdc, 240 Vac, Modbus RTU, NEMA 0, LCD display
Product Type	RVSS 110MM 135A W/Opt Inside The Delta

Manufacturer Information

Brand	Eaton
GTIN	00786685558943
Manufacturers Part Number	S811+R13N3S
UPC	786685558943



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	DRIVES
----------------------	--------

Packaging

Carton	1
--------	---

Weight Per each	12.5
-----------------	------

Uses, Certifications, and Standards

Application	Elec Assemblies, Panels & OEM - Electrical Assemblies, Panels and OEMs
-------------	------------------------------------------------------------------------

standard	CSA file No. 3211-06,EN 60947-4-2,CSA Certified for Elevator Duty,IEC 60947-4-2,UL Recognized,UL Listed,CE Marked
----------	-------------------------------------------------------------------------------------------------------------------