Surge Protection



CHSP (Cutler-Hammer Home Surge Protector)

Stage 1: Primary Protection for Service Entrance

The best place to install surge protection is at the electrical entrance point to your home. The service entrance (loadcenter or breaker panel) is often where AC power, telephone lines and cable lines are located. Applying a CHSP product to your service entrance (stage 1) will reduce a voltage surge to an acceptable level for appliances and surge strips. For added protection, it is recommended that you install surge protection for your cable and telephone lines (see accessories) at the service entrance. The benefit of installing these products is that your AC, cable and telephone lines will all have the same ground potential, in one common location, for passing the surge away from your equipment.



SurgeTrap™ Family

Stage 2: Secondary Protection for Point of Use

A quality Cutler-Hammer SurgeTrap surge strip is recommended for sensitive electronic loads like computers or entertainment centers. Using a SurgeTrap surge strip (stage 2) reduces any voltage remnant down to an acceptable level.

For more information, see surge Section 10.

Table 3-36. Residential Surge Products

| Product | | Catalog Number | Price U.S. \$ | |
|-------------|---|------------------------------|------------------|--|
| Stage 1 | | | | |
| CHSP Micro™ | to and | CHSPMICRO CHSPMICRO230INT | 130.00 130.00 | |
| CHSP Max™ | | CHSPMAX CHSPMAX230INT | 225.00 235.00 | |
| CHSP 3-Way™ | | CHSPCHSR4P | 466.00 | |
| CHSP Ultra™ | All | CHSPULTRA | 414.00 | |

| Accessories | | | |
|-----------------|----|-----------|--------|
| SurgeTel™ | | DHW4PT | 207.00 |
| SurgeCable™ | | DCXCAB2 | 145.00 |
| SurgeEthernet™ | | DRJ45D30R | 228.00 |
| Flushmount Kit™ | 75 | CHSPFMKIT | 52.00 |

| _ | _ | _ | _ | _ |
|---|----|---|---|---|
| C | ** | | • | 2 |

| SurgeTrap™ Micro | SGXMICROAC ① SGXMICRONET ② SGXMICROTV ③ | 47.25 58.00 62.50 |
|----------------------|--|--------------------------------------|
| SurgeTrap™ Max | SGXMAXAC ① SGXMAXNET ② SGXMAXTV ③ | 102.00 116.00 116.00 |
| SurgeTrap™ Ultra | SGXULTAC ① SGXULTNET ② SGXULTTV ③ SGXULT3WAY ④ | 198.00 214.00 225.00 207.00 |
| SurgeTrap™ ValueLine | SGXVAL6 ® SGXVAL15 ® | 64.50 89.50 |

- 1 AC Power
- AC + Telephone/Modem
- 3 AC + Cable
- 4 AC + Telephone/Modem + Cable
- ® AC Power and Coaxial Cable
- 6 6 Foot Cord
- 15 Foot Cord

Cutler-Hammer

January 2001 Vol. 1, Ref. No. [0412]

Application Recommendations

| Application Type | Cutler-Hammer Surge Products | Features and Competitive Advantages | | |
|--|--|--|--|--|
| Residential | - No. | | | |
| ■ Home office ■ 120/240V loads | ■ CHSP™ Whole Home Surge Protector ■ SurgeTrap™ plug-in surge protection | ■ CHSP protects all residential loads ■ Only product available with three levels of protection (AC, telephone, cable) ■ Single point ground eliminates differential ground voltages ■ SurgePlane™ construction ■ Value-added package for contractors and home built | | |
| Light Commercial | | | | |
| ■ Design build ■ Chain stores ■ Small facilities | ■ Clipper VL ■ Clipper Power System Retrofit (seven models) ■ Clipper Power System Integrated (seven models) ■ AEGIS-PR powerline filter for cash registers and ATM machines (industrial grade) ■ SurgeTrap plug-in surge protection (commercial grade) | ■ Ideal package for any commercial facility ■ Cost-effective protection using CPS-B or CVL protection ■ AEGIS-PR has extremely high level of common mode noise filtering for cash registers, ATMs and other critical electronic loads | | |
| Large Projects | | | | |
| Including: Commercial Government Schools Institution Military | ■ Clipper Power System Integrated (seven models) available in panelboards switchboards, MCCs, switchgear, busway and automatic transfer switches ■ Clipper VL ■ Clipper Power System Retrofit (seven models) ■ Data signal link protectors ■ AEGIS for critical load applications ■ Power Conditioners (models: SRT and EVR) | Able to meet any competitor TVSS specification Significant performance advantage using integrated Clippers (the preferred choice of consultants) Quick ship capabilities from satellites and service centers The industry's most comprehensive diagnostics ensure safe operation Third party tested | | |
| Industrial | | | | |
| Including: ■ Small and large facilities ■ WWTP | ■ Clipper MCC (Motor Control Center) ■ Clipper VL ■ Clipper Power System Integrated and Retrofit (switchgear, switchboards, busway, panelboards and automatic transfer switches) ■ AEGIS powerline filters for critical loads (PLCs, robotics, etc.) ■ Reflected Wave Trap (RWT) ■ Datacom protectors ■ Volt Shield (swell / sag controller) ■ Sag Ride Through (SRT) power conditioner ■ Electronic Voltage Regulator (EVR) | ■ Clipper MCC offers surge suppression for drives (available for retrofit and new installations) ■ AEGIS products are industry leaders for critical load protection (DIN rail mounting, extended warranty for connected loads) ■ Facility-wide solutions ■ Protection for drive/motor applications ■ SRT — power conditioning for voltage sag problems ■ EVR — ideal for voltage regulation problems | | |
| OEM | | | | |
| Any OEM customer including: Integrators Medical equipment Automation and control Traffic control | ■ Clipper Power System Caseless and Retrofit ■ Clipper VL ■ AEGIS powerline filter ■ DC, DC+ filters ■ Other custom components ■ Reflected Wave Trap (RWT) ■ Power conditioners ■ Datacom protectors | ■ 20 years experience in OEM applications ■ Ability to meet customized requirements ■ Application engineering assistance ■ CE approval (AEGIS filters) ideal for international integrators ■ Small footprint series and parallel power filters | | |

Telecommunications

| Including: | ■ Tc Panelboards (clipper TVSS, transfer switch) | ■ Complete solution for protecting cellular (or PCS, |
|------------------|---|--|
| ■ Cellular sites | ■ QuarterWave (TQP) protectors for RF coaxial lines | microwave, GPS) base stations |
| ■ Microwave | ■ AEGIS+ | ■ Independently tested at lightning labs |
| ■ PCS | ■ Clipper VL | Experience in worldwide applications |
| ■ Paging systems | ■ DC protectors | ■ Ability to meet customized requirements |
| | ■ Volt shield (sag / swell protection) | 760 |
| | ■ Engineering design support | |



January 2001 Vol. 1, Ref. No. [0415]

Surge Suppression & Power Conditioning Products Residential

Surge Protector (CHSP)

Product Selection

Table 10-2. Residential Surge Products

| Product | Protection Levels and Application | Features | Warranty | Installation/ Enclosure | Catalog Number | Price U.S. \$ |
|-------------------------|---|---|---|--|--|--------------------------------------|
| Stage 1 | ν. | | | - | | |
| CHSP Micro™ | Basic surge protection for appliances | ■ Surge current rating 20 kA ■ Metal enclosure ■ Easy to install mounting | 2 year product warranty ® | Indoor/Outdoor enclosure | CHSPMICRO CHSPMICRO230INT | 130.00 130.00 |
| CHSP Max™ | Standard surge protection for major appliances and home electronics | Surge current rating 50 kA Thermal fusing Compact, small footprint Status monitor | 5 year product warranty ① \$10,000 connected equipment | Indoor/Outdoor enclosure Flushmount kit available | CHSPMAX CHSPMAX230INT | 225.00 235.00 |
| CHSP 3-Way™ | Standard 3-way protection (AC power, phone, cable) for all home electronic equipment | ■ Surge current rating 40 kA ■ 4 telephone lines ■ 1 cable/satellite line | 5 year product warranty ① \$10,000 connected equipment | Indoor/Flush- mount enclosure | CHSPCHSR4P | 492.00 |
| CHSP Ultra™ | Ultimate surge protection for major appliances, home electronics, computers/home office and entertainment systems | ■ Surge current rating 70 kA ■ Audible alarm ■ Thermal fusing | Lifetime product warranty ① \$50,000 connected equipment | Indoor/Outdoor enclosure Flushmount kit available | CHSPULTRA | 425.00 |
| Accessories | ** | | | | | |
| SurgeTel™ | Telephone/Modems | ■ 4 Telephone Lines | - | - | DHW4PT | 207.00 |
| SurgeCable™ | Cable/Satellite TV | ■ 2 Cable/Satellite Lines | _ | _ | DCXCAB2 | 145.00 |
| SurgeEthernet™ | Ethernet | ■ Protection for High Speed Internet | - | - | DRJ45D30R | 228.00 |
| Flushmount Kit™ | Cover for CHSP Max or Ultra when used on finished wall | ** | - | _ | CHSPFMKIT | 52.00 |
| Stage 2 | | | | | | |
| SurgeTrap™ Micro | Appliances | ■ 3 Outlets; Wallmount | 5 year product warranty \$1,500 connected equipment | = | SGXMICROAC 2 SGXMICRONET 3 SGXMICROTV 4 | 47.25 58.00 62.50 |
| SurgeTrap™ Max | Less critical electronic equipment | ■ 7 Outlets; Angled plug-in | Lifetime product warranty \$5,000 connected equipment | | SGXMAXAC @ SGXMAXNET ③ SGXMAXTV ® | 102.00 116.00 116.00 |
| SurgeTrap™ Ultra | Home entertainment systems and computer/ home office | ■ 8 Outlets; Angled plug-in ■ Transformer spacing ■ Series filter and TCO fuses | Lifetime product warranty \$25,000 connected equipment | ======================================= | SGXULTAC ® SGXULTNET ® SGXULTTV ® SGXULT3WAY ® | 198.00 214.00 225.00 290.00 |
| SurgeTrap™ ValueLine | Basic surge protection | ■ 6 outlets | 5 year product warranty | = | SGXVAL6 ® | 64.50 89.50 |

⁽⁹⁾ Warranty coverage applicable when CHSP products are used in conjunction with SurgeTrap point of use strips and appropriate cable and telephone protectors (see accessories).

Discount Symbol 22-CD

② AC Power

³ AC + Telephone/Modem

⁴ AC + Cable

S AC + Telephone/Modem + Cable

[®] AC Power and Coaxial Cable

^{7 6} Foot Cord

^{® 15} Foot Cord