

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



SLC20 20A 600V TD Class G Fuse Littelfuse

| Catalog Number | SLC20 |
|---|--|
| Manufacturer | Littelfuse |
| Description | The Unique Design Of Littelfuse'S Compact SLC Series Class G Fuses Provide Additional Time-Delay Over Competitive Products Which Increases System Reliability. Compact Class G Fuses Were The First Fuse Series to Approach Midget Fuse Dimensions and Meet Nec Requirements For Branch-Circuit Protection. The Unique Dimensions Of SLC Series Class G Fuses Prevents Insertior Of Lower Voltage Fuses In Class G Fuse Holders. The Fuse'S Varying Length Prevents Insertion Of Higher Ampere Rated Fuses In Fuse Holders Desi |
| Weight per unit | 0.0190 (lbs/each) |
| Product Category | Current Limiting |
| Descriptions Description extra long description Long Description | 20A 600V TD CLASS G FUSE L-FSE SLC020 FUS 600V MED T/D CLASS The unique design of Littelfuse's compact SLC series Class G fuses provide additional time-delay over competitive products which increases system reliability. Compact Class G fuses were the first fuse series to approach midget fuse dimensions and meet NEC requirements for branch-circuit protection. The unique dimensions of SLC series Class G fuses prevents insertion of lower voltage fuses in Class G fuse holders. The fuse's varying length prevents insertion of higher ampere rated fuses in fuse holders desi |
| Product Type | Fus 600V Med T/D Class G 20a |
| Special Features | Time-Delay |
| Anufacturer Information | |
| Brand GTIN | Littelfuse 00079458420715 |
| Manufacturers Part Number | SLC020 |
| sub brand | POWR-GARD SLC Series |
| UPC | 079458420715 |
| axonomies, Classifications, and (| |
| Category Description | |
| Туре | |



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging

| Carton | 1 |
|-----------------|-------|
| Package | |
| Weight Per each | 0.019 |

Uses, Certifications, and Standards

| Application | Branch Circuit |
|-------------|------------------------------|
| standard | Standard 248-5 UL Listed/CSA |