



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## STAG10 4" Alu Ins Ground Hub *Crouse-Hinds*

Catalog Number	STAG10
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Myers Ground Hub, Aluminum, 4"
Weight per unit	1.4 (lbs/each)
Product Category	Aluminum

### Features

connection	Threaded
dimensions	5.4900 IN X 3.0600 IN X 5.4900 IN
Material	360 Aluminum

### Material, Color, and Finish

Finish	Natural
--------	---------

### Dimensions and Weight

Size	4 in
------	------

### Descriptions

Description	4" ALU INS GROUND HUB
extra long description	MYERS STAG 10 CH MYERS 4 ALUM GROUN
Features	Crouse-Hinds series Myers hubs are used in the termination of electrical circuits through wall of an enclosure. They are designed for use indoors or outdoors with rigid conduit and IMC, and they are ideal for pharmaceutical, chemical and food processing, pulp/paper, nuclear, solar and commercial construction applications.
Long Description	Eaton Crouse-Hinds series Myers ground hub, Aluminum, 4"
Product Type	CH Myers 4 Alum Ground Hub
Special Features	Vibration Proof, Ground Wire Size 4 AWG (CSA), 2/0 AWG (UL), Weight 150 Lb per 100

### Manufacturer Information

Brand	Eaton
GTIN	00784731101143
Manufacturers Part Number	STAG 10
UPC	784731101143

### Taxonomies, Classifications, and Categories

Category Description	Watertight Hub, 3-PIECE COUPLINGS, THREADLESS COUPLINGS AND THREADLESS CONNECTOR
Type	Ground Hub



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Packaging

Carton	1
Package	2
Weight Per each	1.4

## Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	NEMA 2/3/3R/4/4X/12
standard	UL 514B, CUL, CSA C22.2