

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



TCF10 10A Finger Safe Fuse Bussmann Fuses

Catalog Number	TCF10
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series TCF Fuse, 10 A, 60 HZ, 50 HZ, Dual, CF, Black, With Indicator, Blade End, Time Delay, Class CF, 10 Sec At 500%, 100 Kaic At 300 VDC, 300 Kaic At 600 V, Glass Filled Pes, 35 MM Din Rail, Chassis, 600 V, 300 VDC
Weight per unit	0.1000 (lbs/each)
Product Category	Tools & Testers
Features	
amperage rating	10 A
class	Class CF
connection	Dlada End
dimensions	1 0000 IN V 0 7500 IN V 1 7500 IN
element	Dual
interrupt rating	300 kAIC at 600 Vac100 kAIC at 300 Vdc
Material	Glass Filled PES
media	Voc
Response Time	10 S at 500%
Voltage Rating	600 Vac, 300 Vdc
Descriptions	
Description	10A FINGER SAFE FUSE
extra long description	BUSS TCF10 CUBEFUSE, TCF 10A IND
Features	The revolutionary BussmannTM series Low-PeakTM
	CUBEFuseTM delivers the smallest footprint compared to any Class CC, J or RK fuse solution requiring up to 70% less space when combined with its unique fuse holder or UL 98 Listed Compact Circuit Protector switch. Freeing up space is powerful. And the CUBEFuse does just that, while packing up to a 300 kA interrupting rating and enabling higher equipment short-circuit current rating (SCCR). Available from 1 to 400 amps.
Long Description	Eaton Bussmann series TCF fuse, 10 A, 60 Hz, 50 Hz, Dual, CF, Black, With Indicator, Blade end, Time delay, Class CF, 10 sec at 500%, 100 kAIC at 300 Vdc, 300 kAIC at 600 V, Glass filled PES, 35 mm DIN rail, Chassis, 600 V, 300 Vdc
Product Type	Cubefuse, TCF 10A Ind
Special Features	Finger Safe



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

$N/I \land P \cap I$	tootileor.	INTAKMAATIAM
11/12/11	12/11/11/41	
IVICILI	Iactuici	Information

Brand	Eaton Bussmann series
GTIN	00051712614986
Manufacturers Part Number	TCF10
UPC	051712614986

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Туре	FUSE

Packaging

Carton	12
Weight Per each	0.1

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Safety and Security
	SystemsDatacenters - Facilities: Power DistributionCommercial /
	Institutional Buildings / Structures - Critical PowerInd Facilities &
	Factories - Facility: Power Distribution and ControlStationary
	Machinery and Equipment Outside Factory - HVAC
Mounting	35 mm DIN Rail, Chassis
standard	ULListed .CSA Certified.CF Marked.RoHS Compliant