


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





TM870NICC10 Radiant Switch 1P 15A 120/277V Ni

Pass & Seymour/Legrand

080	
Catalog Number	TM870NICC10
Manufacturer	Pass & Seymour/Legrand
Description	Nickeldecorator Switch, Single POLE15AMP, 120/277VAC With Ground, Side and, Back Wire. Our Complete Line Of Decorator Devices Combine Today'S Design Aesthetics With Ease Of Installation, Reliability, and Performance That Never Goes Out Of Style.
Weight per unit	-
Product Category	
Features	
actuator	Rocker switch
amperage rating	
Contact Rating	
Material	
media	Yes
operating cycles	50,000 cycles minimum, resistive, inductive, tungsten filament lamp load
Poles	1
Voltage Rating	120
Material, Color, and Finish	
Color	Silver
Dimensions and Weight	
Size	1.27" Depth x 1.43" Width x 4.19" Height
Descriptions	
Description	RADIANT SWITCH 1P 15A 120/277V NI
extra long description	P&S TM870NICC10 RADIANT SWITCH 1P 1
Long Description	NickelDecorator Switch, Single Pole15amp, 120/277VAC with
	ground, side and, back wire. Our complete line of Decorator devices combine today's design aesthetics with ease of installation, reliability, and performance that never goes out of style.
Product Type	Radiant Switch 1P 15A 120/277V Ni
Special Features	Everyone wants a home that's a step above ordinary. Now the radiant® collection of switches, outlets, dimmers and home automation controls by Legrand puts that stylish finishing touch affordably within reach. radiant gets rid of unsightly screws, delivering clean looks in a range of colors and metallic finishes.



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

N	lanut	facturer	Inform	nation
		40.4.0.		

Brand	LEGRAND-PASS & SEYMOUR
GTIN	00785007021059
Manufacturers Part Number	TM870NICC10
sub brand	Pass & Seymour
UPC	785007021059

Taxonomies, Classifications, and Categories

Category Description	Residential plates
Туре	Decorator Switch

Packaging

Carton	10
Weight Per each	0.1775

Uses, Certifications, and Standards

Application	Residential
environmental conditions	UL94 V2
Mounting	BOX
Operating Temperature	Maximun continuous +115°C, minimum -40°C
standard	CSA Listed, UL Listed