

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941

We Deliver...Lower Cost, Quality Products, & Personal Service

Fax: 936-560-4685



TMCX7247 2-1/2" Cord Grips Crouse-Hinds

TMCX7247 Catalog Number Manufacturer Crouse-Hinds Eaton Crouse-Hinds Series TMCX Cable Gland, Description Metal-Cladcorrugated, Teck Armoured and Tray Cable, Armoured Barrier and Non-Armoured Barrier, Aluminum, Outer Sheath: 1.99-2.72", 2-1/2" NPT, Armor Range: 1.93-2.47" Weight per unit 4.5 (lbs/each) Product Category BX, MC, Armored Cable Fittings

Features

connection Male NPT 7.5000 IN X 4.0000 IN X 4.0000 IN dimensions

Aluminum Body, Neoprene Seal

Armoured/Non-Armoured Barrier Gland

Dimensions and Weight

Size 2-1/2 in

Descriptions

Material

Description 2-1/2" CORD GRIPS extra long description CRS-H TMCX7247 2 1/2 FT MC CAB ARMO **Features** For use with metal-clad, non-armoured and tray cable, TMCX cable fittings are installed to provide a means for terminating cable at junction boxes, control centers, panelboards and enclosures for motor control and electrical distribution. They are used to form a mechanical watertight connection and to provide ground continuity of cable armour. Applied in Division 1 locations and when a seal is required. Long Description Eaton Crouse-Hinds series TMCX cable gland, Metal-cladcorrugated, TECK armoured and tray cable, Armoured barrier and non-armoured barrier, Aluminum, Outer Sheath: 1.99-2.72", 2-1/2" NPT, Armor Range: 1.93-2.47" Product Type 2 1/2 FT MC Cab Armor Od 1.93-2.47

Manufacturer Information

Special Features

Brand EATON CROUSE-HINDS SERIES GTIN 00782274414737 Manufacturers Part Number TMCX7247 UPC 782274414737

Taxonomies, Classifications, and Categories

CORD CONNECTORS & CORD GRIPS Category Description Cable gland Type



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Pa	CK	aq	IIN	q
		•	,	•

Carton	1	
Weight Per each	4.5	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	IP56, Class I Div 1 Group A B C D, Class II, Class III
standard	UL (CANADA AND US), CUL
Temperature Rating	-25 To 60 Deg C