

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES & SUPPORTS – CUBIC INCH CAPACITY (SEE BELOW)

### UL LISTED

Weight limits:

TP261 – 35 lbs. max. for fans; 50 lbs. max. for fixture.

TP301 – Fan is supported independent of outlet box. Mounting screws go through box and into joist. Box will support fans up to 70 lbs. and fixtures up to 90 lbs.

TP275 – 70 lbs. max. for fans; 90 lbs. max. for fixtures.



TP275



TP261



TP301



TP315



TP379



TP352

| Cat. # | Description  | Stud Spacing | Capacity<br>Cu. In. | Knockouts              |          | Unit<br>Qty. | Wt. Lbs.<br>Per 100 | Weight Limits (Lbs.) |          |
|--------|--|--------------|---------------------|------------------------|----------|--------------|---------------------|----------------------|----------|
|        |  |              |                     | Sides                  | Bottom   |              |                     | Fans                 | Fixtures |
| TP275  | 1 1/2" Deep, Clamps and Mounting Screws - (Polybagged)                                 | -            | 15.5                | 4 - Cable,<br>2 - 1/2" | 1 - 1/2" | 20           | 66.6                | 70                   | 90       |
| TP315† | 1 1/2" Deep Octagon, Fan Box with New Work Bar Hanger                                  | 16" - 24"    | 15.5                | 2 - 1/2"               | 2 - 1/2" | 12           | 192.0               | 35                   | 50       |
| TP379  | 1 1/2" Deep with Fan Brace Old Work Bar Hanger   | 16" - 24"    | 15.5                | 4 - 1/2"               | 2 - 1/2" | 12           | 207.0               | 35                   | 50       |
| TP261  | 5/8" Deep with External Clamp and Mounting Screws (Polybagged)                         | -            | 8.0                 | -                      | 2 - 1/2" | 20           | 50.0                | 35                   | 50       |
| TP301* | 1/2" Deep, 4" Round, with NM Snap-in Connector, Mtg. Screws, Protective Cover (No Bag) | -            | 6.0                 | -                      | 3 - 1/2" | 20           | 51.0                | 70*                  | 90*      |

\*TP301 Fan is supported independent of outlet box.

†TP315 comes with Romex clamp installed on one side. The other three sides have a 1/2" KO, a bagged MC clamp and screw, and a bagged plastic NM connector.

## ADJUSTABLE BAR HANGERS

| Cat. # | Stud Spacing | Fan Rated | 16" Fan Weight (Lbs.) | 24" Fan Weight (Lbs.) | Fixture Rated | 16" Fixture Weight (Lbs.) | 24" Fixture Weight (Lbs.) | Unit Qty. | Wt. Lbs. Per 100 |
|--------|--------------|-----------|-----------------------|-----------------------|---------------|---------------------------|---------------------------|-----------|------------------|
| TP352  | 16" - 24"    | Yes       | 70                    | -                     | Yes           | 90                        | 50                        | 50        | 34.1             |

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES – PVC

### UL LISTED

Weight limits: fans and fixtures are supported independent of outlet box. Mounting screws go through box and into joist. Box will support up to 70 lbs. for fans and 90 lbs. for fixtures. Provided with Romex connector.



TP1300

| Cat. # | Description  | Capacity<br>Cu. In. | Knockouts           | Integral<br>Clamp | Unit<br>Qty. | Wt. Lbs.<br>Per 100 |
|--------|--|---------------------|---------------------|-------------------|--------------|---------------------|
| TP1300 | 4 $\frac{1}{16}$ " Dia., $\frac{1}{2}$ " Deep Pan Section, 4" Deep Overall – with Mtg. Hardware and External Clamp, Protective Cover | 14.0                | 3 - $\frac{1}{2}$ " | 1                 | 24           | 34                  |

## NON-METALLIC CEILING FAN BOXES

### 2 $\frac{3}{16}$ " DEEP

### UL LISTED

With clamps for non-metallic cable.  
All mounting hardware supplied; suitable for support of fans weighing up to 35 lbs.

### Features:

- Made of heavy duty, engineered thermoplastic material
- Offers the labor saving feature of quick entry and integral clamping
- Eliminates the need to use a screwdriver to break open pry-outs
- The easy access entry point serves as a wire clamp, eliminating time required to mechanically secure the wire to the box



TP16511

| Cat. #  | Diameter | Mounting<br>Method | Capacity<br>Cu. In. | No. of Clamp<br>Openings | Unit<br>Qty. | Wt. Lbs.<br>Per 100 |
|---------|----------|--------------------|---------------------|--------------------------|--------------|---------------------|
| TP16511 | 4"       | Nails Only         | 22.5                | 6                        | 25           | 21                  |

Steel Boxes

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES & SUPPORTS – CUBIC INCH CAPACITY (SEE BELOW)

### UL LISTED

Weight limits:

TP261 – 35 lbs. max. for fans; 50 lbs. max. for fixture.

TP301 – Fan is supported independent of outlet box. Mounting screws go through box and into joist. Box will support fans up to 70 lbs. and fixtures up to 90 lbs.

TP275 – 70 lbs. max. for fans; 90 lbs. max. for fixtures.



TP275



TP261



TP301



TP315



TP379



TP352

| Cat. # | Description  | Stud Spacing | Capacity<br>Cu. In. | Knockouts              |          | Unit<br>Qty. | Wt. Lbs.<br>Per 100 | Weight Limits (Lbs.) |          |
|--------|--|--------------|---------------------|------------------------|----------|--------------|---------------------|----------------------|----------|
|        |  |              |                     | Sides                  | Bottom   |              |                     | Fans                 | Fixtures |
| TP275  | 1 1/2" Deep, Clamps and Mounting Screws - (Polybagged)                                 | -            | 15.5                | 4 - Cable,<br>2 - 1/2" | 1 - 1/2" | 20           | 66.6                | 70                   | 90       |
| TP315† | 1 1/2" Deep Octagon, Fan Box with New Work Bar Hanger                                  | 16" - 24"    | 15.5                | 2 - 1/2"               | 2 - 1/2" | 12           | 192.0               | 35                   | 50       |
| TP379  | 1 1/2" Deep with Fan Brace Old Work Bar Hanger   | 16" - 24"    | 15.5                | 4 - 1/2"               | 2 - 1/2" | 12           | 207.0               | 35                   | 50       |
| TP261  | 5/8" Deep with External Clamp and Mounting Screws (Polybagged)                         | -            | 8.0                 | -                      | 2 - 1/2" | 20           | 50.0                | 35                   | 50       |
| TP301* | 1/2" Deep, 4" Round, with NM Snap-in Connector, Mtg. Screws, Protective Cover (No Bag) | -            | 6.0                 | -                      | 3 - 1/2" | 20           | 51.0                | 70*                  | 90*      |

\*TP301 Fan is supported independent of outlet box.

†TP315 comes with Romex clamp installed on one side. The other three sides have a 1/2" KO, a bagged MC clamp and screw, and a bagged plastic NM connector.

## ADJUSTABLE BAR HANGERS


| Cat. # | Stud Spacing | Fan Rated | 16" Fan Weight (Lbs.) | 24" Fan Weight (Lbs.) | Fixture Rated | 16" Fixture Weight (Lbs.) | 24" Fixture Weight (Lbs.) | Unit Qty. | Wt. Lbs. Per 100 |
|--------|--------------|-----------|-----------------------|-----------------------|---------------|---------------------------|---------------------------|-----------|------------------|
| TP352  | 16" - 24"    | Yes       | 70                    | -                     | Yes           | 90                        | 50                        | 50        | 34.1             |

# Ceiling Fan Boxes & Supports

## CEILING FAN BOXES – PVC

### UL LISTED

Weight limits: fans and fixtures are supported independent of outlet box. Mounting screws go through box and into joist. Box will support up to 70 lbs. for fans and 90 lbs. for fixtures. Provided with Romex connector.



TP1300

| Cat. # | Description  | Capacity<br>Cu. In. | Knockouts           | Integral<br>Clamp | Unit<br>Qty. | Wt. Lbs.<br>Per 100 |
|--------|--|---------------------|---------------------|-------------------|--------------|---------------------|
| TP1300 | 4 $\frac{1}{16}$ " Dia., $\frac{1}{2}$ " Deep Pan Section, 4" Deep Overall – with Mtg. Hardware and External Clamp, Protective Cover | 14.0                | 3 - $\frac{1}{2}$ " | 1                 | 24           | 34                  |

## NON-METALLIC CEILING FAN BOXES

### 2 $\frac{3}{16}$ " DEEP

### UL LISTED

With clamps for non-metallic cable.  
All mounting hardware supplied; suitable for support of fans weighing up to 35 lbs.

### Features:

- Made of heavy duty, engineered thermoplastic material
- Offers the labor saving feature of quick entry and integral clamping
- Eliminates the need to use a screwdriver to break open pry-outs
- The easy access entry point serves as a wire clamp, eliminating time required to mechanically secure the wire to the box



TP16511

| Cat. #  | Diameter | Mounting<br>Method | Capacity<br>Cu. In. | No. of Clamp<br>Openings | Unit<br>Qty. | Wt. Lbs.<br>Per 100 |
|---------|----------|--------------------|---------------------|--------------------------|--------------|---------------------|
| TP16511 | 4"       | Nails Only         | 22.5                | 6                        | 25           | 21                  |

Steel Boxes