legrand®

Pass & Seymour

# Wall Plates
# TradeMaster® Thermoplastic Nylon
# One & Two Gang

**TP1, TP2, TP8, TP82, TP26, TP262, TP13, TP23, TP7, TP720**

## *Maximum durability in plastic wall plates.*


Self-extinguishing nylon construction makes these TradeMaster® wall plates virtually unbreakable. They will not crack if excessive torque is applied to installation screws. They are 3/16" higher and wider than typical plastic wall plates — not enough to be apparent to the eye, but the extra size cuts costs by reducing dry wall rework.



## Features & Benefits

**An extra 3/16" width and height than standard size wall plates** for more tolerance in covering ragged sheet rock openings.

**Molded of rugged, virtually unbreakable self-extinguishing .070 inch thick thermoplastic Nylon 6.**



**TP26-W, TP2-I, TP8-LA**

**Pre-installed mounting screws** on single gang toggle, duplex receptacle and decorator openings.

**Aesthetically pleasing contour design.**

## Field Uses/Vertical Markets



- Health Care
- Education
- Institutional
- Retail
- Office
- Hospitality/Lodging
- Multiple Dwelling

legrand®
Pass & Seymour

# Wall Plates
# TradeMaster® Thermoplastic Nylon
# One & Two Gang

## Ordering Information

| Description | Catalog Number | Color |
|---|---|---|
| **TradeMaster Toggle Switch Openings** | | |
| One Gang  | TP1-I | Ivory |
| | TP1-W | White |
| | TP1 | Brown |
| | TP1-GRY | Gray |
| | TP1-BK | Black |
| | TP1-RED | Red |
| | TP1-LA | Light Almond |
| Two Gang  | TP2-I | Ivory |
| | TP2-W | White |
| | TP2 | Brown |
| | TP2-GRY | Gray |
| | TP2-BK | Black |
| | TP2-RED | Red |
| | TP2-LA | Light Almond |
| **TradeMaster Duplex Receptacle Openings** | | |
| One Gang  | TP8-I | Ivory |
| | TP8-W | White |
| | TP8 | Brown |
| | TP8-GRY | Gray |
| | TP8-BK | Black |
| | TP8-RED | Red |
| | TP8-LA | Light Almond |
| | TP8-BL | Blue |
| | TP8-OR | Orange |
| Two Gang  | TP82-I | Ivory |
| | TP82-W | White |
| | TP82 | Brown |
| | TP82-GRY | Gray |
| | TP82-BK | Black |
| | TP82-RED | Red |
| | TP82-LA | Light Almond |
| | TP82-OR | Orange |
| **TradeMaster Decorator Openings** | | |
| One Gang  | TP26-I | Ivory |
| | TP26-W | White |
| | TP26 | Brown |
| | TP26-GRY | Gray |
| | TP26-BK | Black |
| | TP26-RED | Red |
| | TP26-LA | Light Almond |
| | TP26-BL | Blue |
| | TP26-OR | Orange |
| Two Gang  | TP262-I | Ivory |
| | TP262-W | White |
| | TP262 | Brown |
| | TP262-GRY | Gray |
| | TP262-BK | Black |
| | TP262-RED | Red |
| | TP262-LA | Light Almond |
| | TP262-BL | Blue |
| | TP262-OR | Orange |

| Description | Catalog Number | Color |
|---|---|---|
| **TradeMaster Blank Plates — Box Mounted** | | |
| One Gang  | TP13-I | Ivory |
| | TP13-W | White |
| | TP13 | Brown |
| | TP13-GRY | Gray |
| | TP13-BK | Black |
| | TP13-RED | Red |
| | TP13-LA | Light Almond |
| Two Gang  | TP23-I | Ivory |
| | TP23-W | White |
| | TP23 | Brown |
| | TP23-GRY | Gray |
| | TP23-BK | Black |
| | TP23-LA | Light Almond |
| **TradeMaster Single Receptacle Openings** | | |
| One Gang  | TP7-I | Ivory |
| | TP7-W | White |
| | TP7 | Brown |
| | TP7-GRY | Gray |
| | TP7-BK | Black |
| | TP7-RED | Red |
| | TP7-LA | Light Almond |
| **TradeMaster Power Outlet Receptacle Openings** | | |
| One Gang  | TP720-I | Ivory |
| | TP720-W | White |
| | TP720 | Brown |
| | TP720-GRY | Gray |
| | TP720-LA | Light Almond |

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# Wall Plates
# TradeMaster® Thermoplastic Nylon
# One & Two Gang

legrand®
Pass & Seymour

## Technical Specifications

### 3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices.
CSA Certified.

### Performance


| | |
|---|---|
| Environmental | Chemical-Resistant |
| Flammability | UL94 V2 |

### Materials


| | |
|---|---|
| Plate Material | .070” Nylon 6 |
| Plate Finish | Matte |
| Screws | Steel, Heads Painted to Match Plate Color |

### Warranty

1 Year




**Dimensions for TradeMaster One Gang**





**Dimensions for TradeMaster Two Gang**

## Complementary Devices & Accessories




### WALL PLATES

- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers




### WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Cast Covers
- Boxes




### SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



### STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



### GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

## Also available...

- Light Almond Devices
- Decorator Devices
- Hospital Grade Devices
- PlugTail™ Devices
- TVSS & Isolated Ground Devices
- Ground Continuity Monitoring (GCM)
- Straight Blade Plugs & Connectors
- Turnlok® Locking Devices
- IEC 309 Industrial Products
- Flexcor® Wire Mesh Grips
- Configurable Solutions

legrand®

**Legrand/Pass & Seymour**
P.O. Box 4822
Syracuse, NY 13221-4822
800-223-4185

**North America Headquarters**
60 Woodlawn Street
West Hartford, CT 06110
Phone: 1.877.BY.LEGRAND (295.3472)
Fax: 1.860.232.2062
www.legrand.us

**Legrand Canada**
570 Applewood Crescent
Vaughan, ON, L4K 4B4
Phone: 905.738.9195
Fax: 905.738.9721
www.legrand.ca

**SF2501R1 — Updated January 2004 — For latest specs visit www.legrand.us/passandseymour**

© 2011, Legrand/Pass & Seymour GG/DG

legrand®

Pass & Seymour

# Wall Plates
# TradeMaster® Thermoplastic Nylon
# One & Two Gang

**TP1, TP2, TP8, TP82, TP26, TP262, TP13, TP23, TP7, TP720**

## *Maximum durability in plastic wall plates.*


Self-extinguishing nylon construction makes these TradeMaster® wall plates virtually unbreakable. They will not crack if excessive torque is applied to installation screws. They are 3/16" higher and wider than typical plastic wall plates — not enough to be apparent to the eye, but the extra size cuts costs by reducing dry wall rework.



## Features & Benefits

**An extra 3/16" width and height than standard size wall plates** for more tolerance in covering ragged sheet rock openings.

**Molded of rugged, virtually unbreakable self-extinguishing .070 inch thick thermoplastic Nylon 6.**



**TP26-W, TP2-I, TP8-LA**

**Pre-installed mounting screws** on single gang toggle, duplex receptacle and decorator openings.

**Aesthetically pleasing contour design.**

## Field Uses/Vertical Markets



- Health Care
- Education
- Institutional
- Retail
- Office
- Hospitality/Lodging
- Multiple Dwelling

legrand®
Pass & Seymour

# Wall Plates
# TradeMaster® Thermoplastic Nylon
# One & Two Gang

## Ordering Information

| Description | Catalog Number | Color |
|---|---|---|
| **TradeMaster Toggle Switch Openings** | | |
| One Gang  | TP1-I | Ivory |
| | TP1-W | White |
| | TP1 | Brown |
| | TP1-GRY | Gray |
| | TP1-BK | Black |
| | TP1-RED | Red |
| | TP1-LA | Light Almond |
| Two Gang  | TP2-I | Ivory |
| | TP2-W | White |
| | TP2 | Brown |
| | TP2-GRY | Gray |
| | TP2-BK | Black |
| | TP2-RED | Red |
| | TP2-LA | Light Almond |
| **TradeMaster Duplex Receptacle Openings** | | |
| One Gang  | TP8-I | Ivory |
| | TP8-W | White |
| | TP8 | Brown |
| | TP8-GRY | Gray |
| | TP8-BK | Black |
| | TP8-RED | Red |
| | TP8-LA | Light Almond |
| | TP8-BL | Blue |
| | TP8-OR | Orange |
| Two Gang  | TP82-I | Ivory |
| | TP82-W | White |
| | TP82 | Brown |
| | TP82-GRY | Gray |
| | TP82-BK | Black |
| | TP82-RED | Red |
| | TP82-LA | Light Almond |
| | TP82-OR | Orange |
| **TradeMaster Decorator Openings** | | |
| One Gang  | TP26-I | Ivory |
| | TP26-W | White |
| | TP26 | Brown |
| | TP26-GRY | Gray |
| | TP26-BK | Black |
| | TP26-RED | Red |
| | TP26-LA | Light Almond |
| | TP26-BL | Blue |
| | TP26-OR | Orange |
| Two Gang  | TP262-I | Ivory |
| | TP262-W | White |
| | TP262 | Brown |
| | TP262-GRY | Gray |
| | TP262-BK | Black |
| | TP262-RED | Red |
| | TP262-LA | Light Almond |
| | TP262-BL | Blue |
| | TP262-OR | Orange |

| Description | Catalog Number | Color |
|---|---|---|
| **TradeMaster Blank Plates — Box Mounted** | | |
| One Gang  | TP13-I | Ivory |
| | TP13-W | White |
| | TP13 | Brown |
| | TP13-GRY | Gray |
| | TP13-BK | Black |
| | TP13-RED | Red |
| | TP13-LA | Light Almond |
| Two Gang  | TP23-I | Ivory |
| | TP23-W | White |
| | TP23 | Brown |
| | TP23-GRY | Gray |
| | TP23-BK | Black |
| | TP23-LA | Light Almond |
| **TradeMaster Single Receptacle Openings** | | |
| One Gang  | TP7-I | Ivory |
| | TP7-W | White |
| | TP7 | Brown |
| | TP7-GRY | Gray |
| | TP7-BK | Black |
| | TP7-RED | Red |
| | TP7-LA | Light Almond |
| **TradeMaster Power Outlet Receptacle Openings** | | |
| One Gang  | TP720-I | Ivory |
| | TP720-W | White |
| | TP720 | Brown |
| | TP720-GRY | Gray |
| | TP720-LA | Light Almond |

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# Wall Plates
# TradeMaster® Thermoplastic Nylon
# One & Two Gang

legrand®
Pass & Seymour

## Technical Specifications

### 3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices.
CSA Certified.

### Performance


| | |
|---|---|
| Environmental | Chemical-Resistant |
| Flammability | UL94 V2 |

### Materials


| | |
|---|---|
| Plate Material | .070” Nylon 6 |
| Plate Finish | Matte |
| Screws | Steel, Heads Painted to Match Plate Color |

### Warranty

1 Year




**Dimensions for TradeMaster One Gang**





**Dimensions for TradeMaster Two Gang**

## Complementary Devices & Accessories




### WALL PLATES

- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers




### WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Cast Covers
- Boxes




### SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



### STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



### GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

## Also available...

- Light Almond Devices
- Decorator Devices
- Hospital Grade Devices
- PlugTail™ Devices
- TVSS & Isolated Ground Devices
- Ground Continuity Monitoring (GCM)
- Straight Blade Plugs & Connectors
- Turnlok® Locking Devices
- IEC 309 Industrial Products
- Flexcor® Wire Mesh Grips
- Configurable Solutions

legrand®

**Legrand/Pass & Seymour**
P.O. Box 4822
Syracuse, NY 13221-4822
800-223-4185

**North America Headquarters**
60 Woodlawn Street
West Hartford, CT 06110
Phone: 1.877.BY.LEGRAND (295.3472)
Fax: 1.860.232.2062
www.legrand.us

**Legrand Canada**
570 Applewood Crescent
Vaughan, ON, L4K 4B4
Phone: 905.738.9195
Fax: 905.738.9721
www.legrand.ca

**SF2501R1 — Updated January 2004 — For latest specs visit www.legrand.us/passandseymour**

© 2011, Legrand/Pass & Seymour GG/DG