

Neither rain, sleet, nor snow will prevent the NEW while-in-use covers from keeping the electricity flowing!

Cooper Crouse-Hinds' new while-in-use covers offer a rugged versatile design that protects against various elements such as rain, snow, and ice. They are available in gray and white, single gang, single gang deep, and double gang to offer 98 different configurations! The single gang covers have a patented design with moveable hinges that reposition easily for vertical or horizontal mounting, with no tools required. They are great for use with vending machines, holiday lighting, portable signs, outdoor lighting, outdoor hot tubs, and more!

Single gang covers have a patented design with moveable hinges that reposition easily for vertical or horizontal mounting, with no tools required.

FEATURES

- Rugged UV resistant polycarbonate cover and back protects device inside from rain, sleet, and snow without cracking or breaking and is non-corrosive and non-conductive
- Covers have a versatile product design with moveable hinges that reposition for vertical/horizontal mounting, which reduces the number of SKUs
- Each cover includes a pre-mounted neoprene gasket on the back, ensuring the gasket cannot fall off or be improperly positioned during installation assuring a weatherproof installation every time!
- Available in 1 Gang, Self-closing Cover, Standard (3.25") and Deep (4.75") depths
- Available in 2 Gang, Self-closing Cover, Standard (3.25") depth
- Meets and exceeds outdoor lighting requirements
- Lockable cover (with customer added locking device) adds security
- Available in both gray and white to meet customer preference





CERTIFICATIONS AND COMPLIANCES

- UL and cUL Listed
- Meets NEMA 3R requirements

STANDARD MATERIALS


• Cover, Back, and Hinges: Polycarbonate


Gasket: Neoprene

ORDERING INFORMATION

Catalog No.	Description	# of Configurations using inserts & moveable hinges	Color	Std. Unit	Wt. Lbs. Per 100
TP7488	1 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	Gray	6	45
TP7491	1 Gang, 4.75" Deep Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	Gray	3	48
TP7489	2 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Vertical Mount	66	Gray	4	77
TP7488W	1 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	White	6	45
TP7491W	1 Gang, 4.75" Deep Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	White	3	48
TP7489W	2 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Vertical Mount	66	White	4	77


DIMENSIONS





TP7488W TP7488 Standard Depth 1 Gang


U.S. (Global Headquarters): Cooper Crouse-Hinds Wolf & Seventh North Streets Syracuse, NY 13208 Toll Free: 866-764-5454 FAX: (315) 477-5179





TP7491W TP7491 Deep Depth 1 Gang

Canada: Cooper Crouse-Hinds Canada Toll Free: 800-265-0502 (905) 507-4187 FAX: (866) 587-2850




TP7489W TP7489 Standard Depth 2 Gang

Mexico: Cooper Crouse-Hinds, S.A. de C.V. 52-555-804-4000 FAX: 52-555-804-4020



4897-0108 Printed in USA





Neither rain, sleet, nor snow will prevent the NEW while-in-use covers from keeping the electricity flowing!

Cooper Crouse-Hinds' new while-in-use covers offer a rugged versatile design that protects against various elements such as rain, snow, and ice. They are available in gray and white, single gang, single gang deep, and double gang to offer 98 different configurations! The single gang covers have a patented design with moveable hinges that reposition easily for vertical or horizontal mounting, with no tools required. They are great for use with vending machines, holiday lighting, portable signs, outdoor lighting, outdoor hot tubs, and more!

Single gang covers have a patented design with moveable hinges that reposition easily for vertical or horizontal mounting, with no tools required.

FEATURES

- Rugged UV resistant polycarbonate cover and back protects device inside from rain, sleet, and snow without cracking or breaking and is non-corrosive and non-conductive
- Covers have a versatile product design with moveable hinges that reposition for vertical/horizontal mounting, which reduces the number of SKUs
- Each cover includes a pre-mounted neoprene gasket on the back, ensuring the gasket cannot fall off or be improperly positioned during installation assuring a weatherproof installation every time!
- Available in 1 Gang, Self-closing Cover, Standard (3.25") and Deep (4.75") depths
- Available in 2 Gang, Self-closing Cover, Standard (3.25") depth
- Meets and exceeds outdoor lighting requirements
- Lockable cover (with customer added locking device) adds security
- Available in both gray and white to meet customer preference





CERTIFICATIONS AND COMPLIANCES

- UL and cUL Listed
- Meets NEMA 3R requirements

STANDARD MATERIALS


• Cover, Back, and Hinges: Polycarbonate


Gasket: Neoprene

ORDERING INFORMATION

Catalog No.	Description	# of Configurations using inserts & moveable hinges	Color	Std. Unit	Wt. Lbs. Per 100
TP7488	1 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	Gray	6	45
TP7491	1 Gang, 4.75" Deep Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	Gray	3	48
TP7489	2 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Vertical Mount	66	Gray	4	77
TP7488W	1 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	White	6	45
TP7491W	1 Gang, 4.75" Deep Depth,				
	Self-closing Cover, Horizontal/Vertical Mount	16	White	3	48
TP7489W	2 Gang, 3.25" Standard Depth,				
	Self-closing Cover, Vertical Mount	66	White	4	77


DIMENSIONS





TP7488W TP7488 Standard Depth 1 Gang


U.S. (Global Headquarters): Cooper Crouse-Hinds Wolf & Seventh North Streets Syracuse, NY 13208 Toll Free: 866-764-5454 FAX: (315) 477-5179





TP7491W TP7491 Deep Depth 1 Gang

Canada: Cooper Crouse-Hinds Canada Toll Free: 800-265-0502 (905) 507-4187 FAX: (866) 587-2850



TP7489W TP7489 Standard Depth 2 Gang

Mexico: Cooper Crouse-Hinds, S.A. de C.V. 52-555-804-4000 FAX: 52-555-804-4020



4897-0108 Printed in USA