



Pass & Seymour

## Wall Plates TradeMaster® Thermoplastic Nylon One & Two Gang

TP1, TP2, TP8, TP82, TP26, TP262, TP13, TP23, TP7, TP720

### Maximum durability in plastic wall plates.

**S**elf-extinguishing nylon construction makes these TradeMaster® wall plates virtually unbreakable. They will not crack if excessive torque is applied to installation screws. They are 3/16" higher and wider than typical plastic wall plates — not enough to be apparent to the eye, but the extra size cuts costs by reducing dry wall rework.



### Features & Benefits

An extra 3/16" width and height than standard size wall plates for more tolerance in covering ragged sheet rock openings.

Molded of rugged, virtually unbreakable self-extinguishing .070 inch thick thermoplastic Nylon 6.

Aesthetically pleasing contour design.

TP26-W, TP2-I, TP8-LA

Pre-installed mounting screws on single gang toggle, duplex receptacle and decorator openings.

### Field Uses/Vertical Markets

- |               |                       |                     |          |
|---------------|-----------------------|---------------------|----------|
| ■ Health Care | ■ Education           | ■ Institutional     | ■ Retail |
| ■ Office      | ■ Hospitality/Lodging | ■ Multiple Dwelling |          |

SF2501R1 — Updated January 2004 — For latest specs visit [www.legrand.us/passandseymour](http://www.legrand.us/passandseymour)

# Wall Plates TradeMaster® Thermoplastic Nylon One & Two Gang

## Ordering Information

| Description                                                                                            | Catalog Number                                                                                        | Color                                                                             |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>TradeMaster Toggle Switch Openings</b>                                                              |                                                                                                       |                                                                                   |
| <b>One Gang</b><br>   | TP1-I<br>TP1-W<br>TP1<br>TP1-GRY<br>TP1-BK<br>TP1-RED<br>TP1-LA                                       | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond                   |
| <b>Two Gang</b><br>   | TP2-I<br>TP2-W<br>TP2<br>TP2-GRY<br>TP2-BK<br>TP2-RED<br>TP2-LA                                       | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond                   |
| <b>TradeMaster Duplex Receptacle Openings</b>                                                          |                                                                                                       |                                                                                   |
| <b>One Gang</b><br>  | TP8-I<br>TP8-W<br>TP8<br>TP8-GRY<br>TP8-BK<br>TP8-RED<br>TP8-LA<br>TP8-BL<br>TP8-OR                   | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Blue<br>Orange |
| <b>Two Gang</b><br> | TP82-I<br>TP82-W<br>TP82<br>TP82-GRY<br>TP82-BK<br>TP82-RED<br>TP82-LA<br>TP82-OR                     | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Orange         |
| <b>TradeMaster Decorator Openings</b>                                                                  |                                                                                                       |                                                                                   |
| <b>One Gang</b><br> | TP26-I<br>TP26-W<br>TP26<br>TP26-GRY<br>TP26-BK<br>TP26-RED<br>TP26-LA<br>TP26-BL<br>TP26-OR          | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Blue<br>Orange |
| <b>Two Gang</b><br> | TP262-I<br>TP262-W<br>TP262<br>TP262-GRY<br>TP262-BK<br>TP262-RED<br>TP262-LA<br>TP262-BL<br>TP262-OR | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Blue<br>Orange |

| Description                                                                                            | Catalog Number                                                         | Color                                                           |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>TradeMaster Blank Plates — Box Mounted</b>                                                          |                                                                        |                                                                 |
| <b>One Gang</b><br>   | TP13-I<br>TP13-W<br>TP13<br>TP13-GRY<br>TP13-BK<br>TP13-RED<br>TP13-LA | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond |
| <b>Two Gang</b><br>   | TP23-I<br>TP23-W<br>TP23<br>TP23-GRY<br>TP23-BK<br>TP23-LA             | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Light Almond        |
| <b>TradeMaster Single Receptacle Openings</b>                                                          |                                                                        |                                                                 |
| <b>One Gang</b><br>  | TP7-I<br>TP7-W<br>TP7<br>TP7-GRY<br>TP7-BK<br>TP7-RED<br>TP7-LA        | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond |
| <b>TradeMaster Power Outlet Receptacle Openings</b>                                                    |                                                                        |                                                                 |
| <b>One Gang</b><br> | TP720-I<br>TP720-W<br>TP720<br>TP720-GRY<br>TP720-LA                   | Ivory<br>White<br>Brown<br>Gray<br>Light Almond                 |

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# TradeMaster® Thermoplastic Nylon

## Wall Plates

### One & Two Gang



Pass & Seymour

#### Technical Specifications

##### 3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices.  
CSA Certified.

##### Performance


|               |                    |
|---------------|--------------------|
| Environmental | Chemical-Resistant |
| Flammability  | UL94 V2            |

##### Materials


|                |                                           |
|----------------|-------------------------------------------|
| Plate Material | .070" Nylon 6                             |
| Plate Finish   | Matte                                     |
| Screws         | Steel, Heads Painted to Match Plate Color |

##### Warranty

1 Year



Dimensions for  
TradeMaster One Gang




Dimensions for  
TradeMaster Two Gang

## Complementary Devices & Accessories




### WALL PLATES

- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers




### WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Cast Covers
- Boxes




### SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



### STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



### GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

## Also available...

- |                          |                                      |                                     |                               |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| ■ Light Almond Devices   | ■ TVSS & Isolated Ground Devices     | ■ Straight Blade Plugs & Connectors | ■ IEC 309 Industrial Products |
| ■ Decorator Devices      | ■ Ground Continuity Monitoring (GCM) | ■ Turnlok® Locking Devices          | ■ Flexcor® Wire Mesh Grips    |
| ■ Hospital Grade Devices |                                      |                                     | ■ Configurable Solutions      |
| ■ PlugTail™ Devices      |                                      |                                     |                               |



**Legrand/Pass & Seymour**  
P.O. Box 4822  
Syracuse, NY 13221-4822  
800-223-4185

**North America Headquarters**  
60 Woodlawn Street  
West Hartford, CT 06110  
Phone: 1.877.BY.LEGRAND (295.3472)  
Fax: 1.860.232.2062  
[www.legrand.us](http://www.legrand.us)

**Legrand Canada**  
570 Applewood Crescent  
Vaughan, ON, L4K 4B4  
Phone: 905.738.9195  
Fax: 905.738.9721  
[www.legrand.ca](http://www.legrand.ca)



Pass & Seymour

## Wall Plates TradeMaster® Thermoplastic Nylon One & Two Gang

TP1, TP2, TP8, TP82, TP26, TP262, TP13, TP23, TP7, TP720

### Maximum durability in plastic wall plates.

**S**elf-extinguishing nylon construction makes these TradeMaster® wall plates virtually unbreakable. They will not crack if excessive torque is applied to installation screws. They are 3/16" higher and wider than typical plastic wall plates — not enough to be apparent to the eye, but the extra size cuts costs by reducing dry wall rework.



### Features & Benefits

**An extra 3/16" width and height than standard size wall plates** for more tolerance in covering ragged sheet rock openings.

**Molded of rugged, virtually unbreakable self-extinguishing .070 inch thick thermoplastic Nylon 6.**

**Aesthetically pleasing contour design.**

**TP26-W, TP2-I, TP8-LA**

**Pre-installed mounting screws** on single gang toggle, duplex receptacle and decorator openings.

### Field Uses/Vertical Markets

- |               |                       |                     |          |
|---------------|-----------------------|---------------------|----------|
| ■ Health Care | ■ Education           | ■ Institutional     | ■ Retail |
| ■ Office      | ■ Hospitality/Lodging | ■ Multiple Dwelling |          |

**SF2501R1 — Updated January 2004 — For latest specs visit [www.legrand.us/passandseymour](http://www.legrand.us/passandseymour)**

# Wall Plates TradeMaster® Thermoplastic Nylon One & Two Gang

## Ordering Information

| Description                                                                                            | Catalog Number                                                                                        | Color                                                                             |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>TradeMaster Toggle Switch Openings</b>                                                              |                                                                                                       |                                                                                   |
| <b>One Gang</b><br>   | TP1-I<br>TP1-W<br>TP1<br>TP1-GRY<br>TP1-BK<br>TP1-RED<br>TP1-LA                                       | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond                   |
| <b>Two Gang</b><br>   | TP2-I<br>TP2-W<br>TP2<br>TP2-GRY<br>TP2-BK<br>TP2-RED<br>TP2-LA                                       | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond                   |
| <b>TradeMaster Duplex Receptacle Openings</b>                                                          |                                                                                                       |                                                                                   |
| <b>One Gang</b><br>  | TP8-I<br>TP8-W<br>TP8<br>TP8-GRY<br>TP8-BK<br>TP8-RED<br>TP8-LA<br>TP8-BL<br>TP8-OR                   | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Blue<br>Orange |
| <b>Two Gang</b><br> | TP82-I<br>TP82-W<br>TP82<br>TP82-GRY<br>TP82-BK<br>TP82-RED<br>TP82-LA<br>TP82-OR                     | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Orange         |
| <b>TradeMaster Decorator Openings</b>                                                                  |                                                                                                       |                                                                                   |
| <b>One Gang</b><br> | TP26-I<br>TP26-W<br>TP26<br>TP26-GRY<br>TP26-BK<br>TP26-RED<br>TP26-LA<br>TP26-BL<br>TP26-OR          | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Blue<br>Orange |
| <b>Two Gang</b><br> | TP262-I<br>TP262-W<br>TP262<br>TP262-GRY<br>TP262-BK<br>TP262-RED<br>TP262-LA<br>TP262-BL<br>TP262-OR | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond<br>Blue<br>Orange |

| Description                                                                                            | Catalog Number                                                         | Color                                                           |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>TradeMaster Blank Plates — Box Mounted</b>                                                          |                                                                        |                                                                 |
| <b>One Gang</b><br>   | TP13-I<br>TP13-W<br>TP13<br>TP13-GRY<br>TP13-BK<br>TP13-RED<br>TP13-LA | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond |
| <b>Two Gang</b><br>   | TP23-I<br>TP23-W<br>TP23<br>TP23-GRY<br>TP23-BK<br>TP23-LA             | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Light Almond        |
| <b>TradeMaster Single Receptacle Openings</b>                                                          |                                                                        |                                                                 |
| <b>One Gang</b><br>  | TP7-I<br>TP7-W<br>TP7<br>TP7-GRY<br>TP7-BK<br>TP7-RED<br>TP7-LA        | Ivory<br>White<br>Brown<br>Gray<br>Black<br>Red<br>Light Almond |
| <b>TradeMaster Power Outlet Receptacle Openings</b>                                                    |                                                                        |                                                                 |
| <b>One Gang</b><br> | TP720-I<br>TP720-W<br>TP720<br>TP720-GRY<br>TP720-LA                   | Ivory<br>White<br>Brown<br>Gray<br>Light Almond                 |

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# TradeMaster® Thermoplastic Nylon

## Wall Plates

### One & Two Gang



Pass & Seymour

#### Technical Specifications

##### 3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices.  
CSA Certified.

##### Performance


|               |                    |
|---------------|--------------------|
| Environmental | Chemical-Resistant |
| Flammability  | UL94 V2            |

##### Materials


|                |                                           |
|----------------|-------------------------------------------|
| Plate Material | .070" Nylon 6                             |
| Plate Finish   | Matte                                     |
| Screws         | Steel, Heads Painted to Match Plate Color |

##### Warranty

1 Year



Dimensions for  
TradeMaster One Gang




Dimensions for  
TradeMaster Two Gang

## Complementary Devices & Accessories




### WALL PLATES

- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers




### WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Cast Covers
- Boxes




### SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



### STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



### GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

## Also available...

- |                          |                                      |                                     |                               |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| ■ Light Almond Devices   | ■ TVSS & Isolated Ground Devices     | ■ Straight Blade Plugs & Connectors | ■ IEC 309 Industrial Products |
| ■ Decorator Devices      | ■ Ground Continuity Monitoring (GCM) | ■ Turnlok® Locking Devices          | ■ Flexcor® Wire Mesh Grips    |
| ■ Hospital Grade Devices |                                      |                                     | ■ Configurable Solutions      |
| ■ PlugTail™ Devices      |                                      |                                     |                               |



**Legrand/Pass & Seymour**  
P.O. Box 4822  
Syracuse, NY 13221-4822  
800-223-4185

**North America Headquarters**  
60 Woodlawn Street  
West Hartford, CT 06110  
Phone: 1.877.BY.LEGRAND (295.3472)  
Fax: 1.860.232.2062  
[www.legrand.us](http://www.legrand.us)

**Legrand Canada**  
570 Applewood Crescent  
Vaughan, ON, L4K 4B4  
Phone: 905.738.9195  
Fax: 905.738.9721  
[www.legrand.ca](http://www.legrand.ca)