




Atlanta, Georgia

Phone 800-521-7326 Fax 770-745-1333

High Speed Steel Drill Bits (T1D) 135° Split Point - Straight Shank



Manufactured from M-2 Steel

Peco Catalog#	Packaging Quantity	Size	Flute Length	Overall Length
T1D116	12	1/16"	7/8"	1-7/8"
TPHSD135-116	3	1/16"	7/8"	1-7/8"
T1D564	12	5/64"	1"	2"
TPHSD135-564	3	5/64"	1"	2"
T1D332	12	3/32"	1-1/4"	2-1/4"
TPHSD135-332	3	3/32"	1-1/4"	2-1/4"
T1D764	12	7/64"	1-1/2"	2-5/8"
TPHSD135-764	3	7/64"	1-1/2"	2-5/8"
T1D18	12	1/8"	1-5/8"	2-3/4"
TPHSD135-18	3	1/8"	1-5/8"	2-3/4"
T1D964	12	9/64"	1-3/4"	2-7/8"
TPHSD135-964	3	9/64"	1-3/4"	2-7/8"
T1D532	12	5/32"	2"	3-1/8"
TPHSD135-532	2	5/32"	2"	3-1/8"
T1D1164	12	11/64"	2-1/8"	3-1/4"
TPHSD135-1164	2	11/64"	2-1/8"	3-1/4"
T1D316	12	3/16"	2-5/16"	3-1/2"
TPHSD135-316	2	3/16"	2-5/16"	3-1/2"
T1D1364	12	13/64"	2-7/16"	3-5/8"
TPHSD135-1364	2	13/64"	2-7/16"	3-5/8"
T1D732	12	7/32"	2-1/2"	3-3/4"
TPHSD135-732	2	7/32"	2-1/2"	3-3/4"
T1D1564	12	15/64"	2-5/8"	3-7/8"
TPHSD135-1564	2	15/64"	2-5/8"	3-7/8"
T1D14	12	1/4"	2-3/4"	4"
TPHSD135-14	2	1/4"	2-3/4"	4"

Peco Catalog#	Packaging Quantity	Size	Flute Length	Overall Length
T1D1764	12	17/64"	2-7/8"	4-1/8"
TPHSD135-1764	1	17/64"	2-7/8"	4-1/8"
T1D932	12	9/32"	2-15/16"	4-1/4"
TPHSD135-932	1	9/32"	2-15/16"	4-1/4"
T1D1964	12	19/64"	3-1/16"	4-3/8"
TPHSD135-1964	1	19/64"	3-1/16"	4-3/8"
T1D516	6	5/16"	3-3/16"	4-1/2"
TPHSD135-516	1	5/16"	3-3/16"	4-1/2"
T1D2164	6	21/64"	3-5/16"	4-5/8"
TPHSD135-2164	1	21/64"	3-5/16"	4-5/8"
T1D1132	6	11/32"	3-7/16"	4-3/4"
TPHSD135-1132	1	11/32"	3-7/16"	4-3/4"
T1D2364	6	23/64"	3-1/2"	4-7/8"
TPHSD135-2364	1	23/64"	3-1/2"	4-7/8"
T1D38	6	3/8"	3-5/8"	5"
TPHSD135-38	1	3/8"	3-5/8"	5"
T1D2564	6	25/64"	3-3/4"	5-1/8"
TPHSD135-2564	1	25/64"	3-3/4"	5-1/8"
T1D1332	6	13/32"	3-7/8"	5-1/4"
TPHSD135-1332	1	13/32"	3-7/8"	5-1/4"
T1D2764	6	27/64"	3-15/16"	5-3/8"
TPHSD135-2764	1	27/64"	3-15/16"	5-3/8"
T1D716	6	7/16"	4-1/6"	5-1/2"
TPHSD135-716	1	7/16"	4-1/6"	5-1/2"
T1D2964	6	29/64"	4-3/16"	5-5/8"
TPHSD135-2964	1	29/64"	4-3/16"	5-5/8"
T1D1532	6	15/32"	4-5/16"	5-3/4"
TPHSD135-1532	1	15/32"	4-5/16"	5-3/4"
T1D3164	6	31/64"	4-3/8"	5-7/8"
TPHSD135-3164	1	31/64"	4-3/8"	5-7/8"
T1D12	6	1/2"	4-1/2"	6"
TPHSD135-12	1	1/2"	4-1/2"	6"


Peco Fasteners specification sheets are a reference guide to help in the selection of fasteners. Peco has made every effort to ensure the accuracy of the information. However, Peco Fasteners is not responsible for any errors that may be contained within these sheets. Peco Fasteners makes no claim of warranty in the accuracy of this information. Users of this information are solely responsible for protecting themselves against liability. It is solely the responsibility of the purchasers and users of these fasteners to consult with Engineers that are experts in an applicable field. Peco Fasteners is not responsible for any loss, claim, or damage due to these specification sheets.



Atlanta, Georgia

Phone 800-521-7326 Fax 770-745-1333

High Speed Steel Drill Bits (T1D) 135° Split Point - Straight Shank



Manufactured from M-2 Steel

Peco Catalog#	Packaging Quantity	Size	Flute Length	Overall Length
T1D116	12	1/16"	7/8"	1-7/8"
TPHSD135-116	3	1/16"	7/8"	1-7/8"
T1D564	12	5/64"	1"	2"
TPHSD135-564	3	5/64"	1"	2"
T1D332	12	3/32"	1-1/4"	2-1/4"
TPHSD135-332	3	3/32"	1-1/4"	2-1/4"
T1D764	12	7/64"	1-1/2"	2-5/8"
TPHSD135-764	3	7/64"	1-1/2"	2-5/8"
T1D18	12	1/8"	1-5/8"	2-3/4"
TPHSD135-18	3	1/8"	1-5/8"	2-3/4"
T1D964	12	9/64"	1-3/4"	2-7/8"
TPHSD135-964	3	9/64"	1-3/4"	2-7/8"
T1D532	12	5/32"	2"	3-1/8"
TPHSD135-532	2	5/32"	2"	3-1/8"
T1D1164	12	11/64"	2-1/8"	3-1/4"
TPHSD135-1164	2	11/64"	2-1/8"	3-1/4"
T1D316	12	3/16"	2-5/16"	3-1/2"
TPHSD135-316	2	3/16"	2-5/16"	3-1/2"
T1D1364	12	13/64"	2-7/16"	3-5/8"
TPHSD135-1364	2	13/64"	2-7/16"	3-5/8"
T1D732	12	7/32"	2-1/2"	3-3/4"
TPHSD135-732	2	7/32"	2-1/2"	3-3/4"
T1D1564	12	15/64"	2-5/8"	3-7/8"
TPHSD135-1564	2	15/64"	2-5/8"	3-7/8"
T1D14	12	1/4"	2-3/4"	4"
TPHSD135-14	2	1/4"	2-3/4"	4"

Peco Catalog#	Packaging Quantity	Size	Flute Length	Overall Length
T1D1764	12	17/64"	2-7/8"	4-1/8"
TPHSD135-1764	1	17/64"	2-7/8"	4-1/8"
T1D932	12	9/32"	2-15/16"	4-1/4"
TPHSD135-932	1	9/32"	2-15/16"	4-1/4"
T1D1964	12	19/64"	3-1/16"	4-3/8"
TPHSD135-1964	1	19/64"	3-1/16"	4-3/8"
T1D516	6	5/16"	3-3/16"	4-1/2"
TPHSD135-516	1	5/16"	3-3/16"	4-1/2"
T1D2164	6	21/64"	3-5/16"	4-5/8"
TPHSD135-2164	1	21/64"	3-5/16"	4-5/8"
T1D1132	6	11/32"	3-7/16"	4-3/4"
TPHSD135-1132	1	11/32"	3-7/16"	4-3/4"
T1D2364	6	23/64"	3-1/2"	4-7/8"
TPHSD135-2364	1	23/64"	3-1/2"	4-7/8"
T1D38	6	3/8"	3-5/8"	5"
TPHSD135-38	1	3/8"	3-5/8"	5"
T1D2564	6	25/64"	3-3/4"	5-1/8"
TPHSD135-2564	1	25/64"	3-3/4"	5-1/8"
T1D1332	6	13/32"	3-7/8"	5-1/4"
TPHSD135-1332	1	13/32"	3-7/8"	5-1/4"
T1D2764	6	27/64"	3-15/16"	5-3/8"
TPHSD135-2764	1	27/64"	3-15/16"	5-3/8"
T1D716	6	7/16"	4-1/6"	5-1/2"
TPHSD135-716	1	7/16"	4-1/6"	5-1/2"
T1D2964	6	29/64"	4-3/16"	5-5/8"
TPHSD135-2964	1	29/64"	4-3/16"	5-5/8"
T1D1532	6	15/32"	4-5/16"	5-3/4"
TPHSD135-1532	1	15/32"	4-5/16"	5-3/4"
T1D3164	6	31/64"	4-3/8"	5-7/8"
TPHSD135-3164	1	31/64"	4-3/8"	5-7/8"
T1D12	6	1/2"	4-1/2"	6"
TPHSD135-12	1	1/2"	4-1/2"	6"

Peco Fasteners specification sheets are a reference guide to help in the selection of fasteners. Peco has made every effort to ensure the accuracy of the information. However, Peco Fasteners is not responsible for any errors that may be contained within these sheets. Peco Fasteners makes no claim of warranty in the accuracy of this information. Users of this information are solely responsible for protecting themselves against liability. It is solely the responsibility of the purchasers and users of these fasteners to consult with Engineers that are experts in an applicable field. Peco Fasteners is not responsible for any loss, claim, or damage due to these specification sheets.