

# Specifications



## Eaton TR270B

Eaton residential grade duplex receptacle, #14-10 AWG, 15A, Commercial, Residential, Flush, 125V, Side and push, Brown, Brass, Impact-resistant thermoplastic face, PVC body, 5-15R, Duplex, Screw, Thermoplastic, Core pack

### General specifications

|                             |   |
|-----------------------------|---|
| <b>PRODUCT NAME</b>         | Eaton residential grade duplex receptacle |
| <b>CATALOG NUMBER</b>       | TR270B                                    |
| <b>UPC</b>                  | 032664666506                              |
| <b>PRODUCT LENGTH/DEPTH</b> | 1.24 in                                   |
| <b>PRODUCT HEIGHT</b>       | 4 in                                      |
| <b>PRODUCT WIDTH</b>        | 0.79 in                                   |
| <b>PRODUCT WEIGHT</b>       | 0.01 lb                                   |
| <b>CERTIFICATIONS</b>       | cULus Listed<br>NOM                       |
| <b>PRODUCT TYPE</b>         | Residential grade                         |



Powering Business Worldwide

## Product specifications

|                            |  |
|----------------------------|--|
| <b>DEVICE TYPE</b>         | Receptacle   |
| <b>TYPE</b>                | Duplex receptacle  |
| <b>AMPERAGE RATING</b>     | 15A  |
| <b>VOLTAGE RATING</b>      | 125V   |
| <b>CONTACT MATERIAL</b>    | Brass  |
| <b>FEATURES</b>            | Tamper resistant   |
| <b>APPLICATION</b>         | Commercial/residential   |
| <b>DEVICE GRADE</b>        | Standard grade   |
| <b>WIRING METHOD</b>       | Side and push  |
| <b>NUMBER OF WIRES</b>     | 3  |
| <b>MOUNTING METHOD</b>     | Flush  |
| <b>NUMBER OF POLES</b>     | Two-pole   |
| <b>STYLE TYPE</b>          | Standard   |
| <b>MATERIAL</b>            | Thermoplastic  |
| <b>PACKAGING TYPE</b>      | Core pack  |
| <b>COLOR</b>               | Brown  |
| <b>CONNECTION TYPE</b>     | Screw  |
| <b>ALLOWABLE WIRE SIZE</b> | Push-In Terminals Wiring:<br>#14 AWG copper (CU)<br>Only, Side Wiring: #10-14<br>Copper or Copper Clad<br>Aluminum |
| <b>NEMA CONFIGURATION</b>  | 5-15R  |
| <b>TORQUE RATING</b>       | 14 lbf-inch  |
| <b>DESIGN TYPE</b>         | Straight blade   |
| <b>FACE/BODY MATERIAL</b>  | Impact-resistant<br>thermoplastic face<br>PVC body   |
| <b>RECEPTACLE TYPE</b>     | Duplex   |

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

## Resources

|                               |  |
|-------------------------------|--|
| MULTIMEDIA                    | <a href="#">Residential straight blade receptacles</a>   |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Eaton Specification Sheet - TR270B</a><br><a href="#">Duplex tamper resistant receptacles spec sheet</a> |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications



## Eaton TR270B

Eaton residential grade duplex receptacle, #14-10 AWG, 15A, Commercial, Residential, Flush, 125V, Side and push, Brown, Brass, Impact-resistant thermoplastic face, PVC body, 5-15R, Duplex, Screw, Thermoplastic, Core pack

### General specifications

|                             |   |
|-----------------------------|---|
| <b>PRODUCT NAME</b>         | Eaton residential grade duplex receptacle |
| <b>CATALOG NUMBER</b>       | TR270B                                    |
| <b>UPC</b>                  | 032664666506                              |
| <b>PRODUCT LENGTH/DEPTH</b> | 1.24 in                                   |
| <b>PRODUCT HEIGHT</b>       | 4 in                                      |
| <b>PRODUCT WIDTH</b>        | 0.79 in                                   |
| <b>PRODUCT WEIGHT</b>       | 0.01 lb                                   |
| <b>CERTIFICATIONS</b>       | cULus Listed<br>NOM                       |
| <b>PRODUCT TYPE</b>         | Residential grade                         |



Powering Business Worldwide

## Product specifications

|                            |  |
|----------------------------|--|
| <b>DEVICE TYPE</b>         | Receptacle   |
| <b>TYPE</b>                | Duplex receptacle  |
| <b>AMPERAGE RATING</b>     | 15A  |
| <b>VOLTAGE RATING</b>      | 125V   |
| <b>CONTACT MATERIAL</b>    | Brass  |
| <b>FEATURES</b>            | Tamper resistant   |
| <b>APPLICATION</b>         | Commercial/residential   |
| <b>DEVICE GRADE</b>        | Standard grade   |
| <b>WIRING METHOD</b>       | Side and push  |
| <b>NUMBER OF WIRES</b>     | 3  |
| <b>MOUNTING METHOD</b>     | Flush  |
| <b>NUMBER OF POLES</b>     | Two-pole   |
| <b>STYLE TYPE</b>          | Standard   |
| <b>MATERIAL</b>            | Thermoplastic  |
| <b>PACKAGING TYPE</b>      | Core pack  |
| <b>COLOR</b>               | Brown  |
| <b>CONNECTION TYPE</b>     | Screw  |
| <b>ALLOWABLE WIRE SIZE</b> | Push-In Terminals Wiring:<br>#14 AWG copper (CU)<br>Only, Side Wiring: #10-14<br>Copper or Copper Clad<br>Aluminum |
| <b>NEMA CONFIGURATION</b>  | 5-15R  |
| <b>TORQUE RATING</b>       | 14 lbf-inch  |
| <b>DESIGN TYPE</b>         | Straight blade   |
| <b>FACE/BODY MATERIAL</b>  | Impact-resistant<br>thermoplastic face<br>PVC body   |
| <b>RECEPTACLE TYPE</b>     | Duplex   |

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

## Resources

|                               |  |
|-------------------------------|--|
| MULTIMEDIA                    | <a href="#">Residential straight blade receptacles</a>   |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Eaton Specification Sheet - TR270B</a><br><a href="#">Duplex tamper resistant receptacles spec sheet</a> |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

