

Catamount® Terminals



Vinyl Insulated Ring Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|-----------|------------|-----------|-----------|
| TV18-6R | 22-16 | #6 | 50 |
| TV18-8R | | #8 | 50 |
| TV18-10R | | #10 | 50 |
| TV18-14R | | 1/4" | 50 |
| TV18-516R | | 5/16" | 50 |
| TV14-6R | 16-14 | #6 | 50 |
| TV14-8R | | #8 | 50 |
| TV14-10R | | #10 | 50 |
| TV14-14R | | 1/4" | 50 |
| TV14-516R | | 5/16" | 50 |
| TV14-38R | | 3/8" | 50 |
| TV10-6R | 12-10 | #6 | 25 |
| TV10-8R | | #8 | 25 |
| TV10-10R | | #10 | 25 |
| TV10-14R | | 1/4" | 25 |
| TV10-516R | | 5/16" | 25 |
| TV10-38R | | 3/8" | 25 |
| TV10-12R | | 1/2" | 25 |
| TV8-8R | 8 AWG | #8 | 10 |
| TV8-10R | | #10 | 10 |
| TV8-14R | | 1/4" | 10 |
| TV8-516R | | 5/16" | 10 |
| TV8-38R | | 3/8" | 10 |
| TV8-12R | | 1/2" | 10 |
| TV6-10R | 6 AWG | #10 | 10 |
| TV6-14R | | 1/4" | 10 |
| TV6-516R | | 5/16" | 10 |
| TV6-38R | | 3/8" | 10 |
| TV6-12R | | 1/2" | 10 |

*8 AWG 25 to a package **6 AWG 10 to a package



Vinyl Insulated Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|-----------|------------|-----------|-----------|
| TV18-6F | 22-16 | #6 | 50 |
| TV18-8F | | #8 | 50 |
| TV18-10F | | #10 | 50 |
| TV18-14F | | 1/4" | 50 |
| TV14-6F | 16-14 | #6 | 50 |
| TV14-8F | | #8 | 50 |
| TV14-10F | | #10 | 50 |
| TV14-14F | | 1/4" | 50 |
| TV10-6F | 12-10 | #6 | 25 |
| TV10-8F | | #8 | 25 |
| TV10-10F | | #10 | 25 |
| TV10-14F | | 1/4" | 25 |
| TV10-516F | | 5/16" | 25 |



Non-Insulated Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|----------|------------|-----------|-----------|
| T18-6F | 22-16 | #6 | 50 |
| T18-8F | | #8 | 50 |
| T18-10F | | #10 | 50 |
| T14-6F | 16-14 | #6 | 50 |
| T14-8F | | #8 | 50 |
| T14-10F | | #10 | 50 |
| T10-6F | 12-10 | #6 | 25 |
| T10-8F | | #8 | 25 |
| T10-10F | | #10 | 25 |
| T10-14F | | 1/4" | 25 |



Non-Insulated Locking Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|----------|------------|-----------|-----------|
| T18-6LF | 22-16 | #6 | 50 |
| T18-8LF | | #8 | 50 |
| T18-10LF | | #10 | 50 |
| T14-6LF | 16-14 | #6 | 50 |
| T14-8LF | | #8 | 50 |
| T14-10LF | | #10 | 50 |
| T10-6LF | 12-10 | #6 | 25 |
| T10-8LF | | #8 | 25 |
| T10-10LF | | #10 | 25 |



Vinyl Insulated Butt Splices



| CAT. NO. | WIRE RANGE | PKG. QTY. |
|----------|------------|-----------|
| TV18-BS | 22-18 | 50 |
| TV14-BS | 16-14 | 50 |
| TV10-BS | 12-10 | 25 |



Nylon Wire Joints



| CAT. NO. | WIRE RANGE | STD. PKG. QTY. |
|----------|------------|----------------|
| TN18-WJ | 22-16 | 50 |
| TN14-WJ | 16-14 | 50 |
| TN10-WJ | 12-10 | 25 |



Non-Insulated Ring Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|----------|------------|-----------|-----------|
| T18-6R | 22-16 | #4-#6 | 50 |
| T18-8R | | #8 | 50 |
| T18-10R | | #10 | 50 |
| T14-6R | 16-14 | #6 | 50 |
| T14-8R | | #8 | 50 |
| T14-10R | | #10 | 50 |
| T10-6R | 12-10 | #6 | 25 |
| T10-8R | | #8 | 25 |
| T10-10R | | #10 | 25 |
| T10-14R | | 1/4" | 25 |



Vinyl Insulated Locking Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|-----------|------------|-----------|-----------|
| TV18-6LF | 22-16 | #6 | 50 |
| TV18-8LF | | #8 | 50 |
| TV18-10LF | | #10 | 50 |
| TV14-6LF | 16-14 | #6 | 50 |
| TV14-8LF | | #8 | 50 |
| TV14-10LF | | #10 | 50 |
| TV10-6LF | 12-10 | #6 | 25 |
| TV10-8LF | | #8 | 25 |
| TV10-10LF | | #10 | 25 |



Multiple Quick Splices

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TV18-00QS | 22-16 | 50 |
| TV14-00QS | 16-14 | 50 |
| TV10-00QS | 12-10 | 25 |

United States
Tel: 901.252.8000
800.816.7809
Fax: 901.252.1354

Canada
Tel: 450.347.5318
Fax: 450.347.1976

Technical Services
Tel: 888.862.3289

Thomas & Betts

www.tnb.com

Catamount® Terminals



Vinyl Insulated Female Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|------------|------------|-----------|
| TV18-250FD | 22-16 | 50 |
| TV14-250FD | 16-14 | 50 |
| TV10-250FD | 12-10 | 25 |



Nylon Fully Insulated Female Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-------------|------------|-----------|
| TNF18-250FD | 22-16 | 50 |
| TNF14-250FD | 16-14 | 50 |
| TNF10-250FD | 12-10 | 25 |



Vinyl Fully Insulated Female Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-------------|------------|-----------|
| TVF18-250FD | 22-16 | 50 |
| TVF14-250FD | 16-14 | 50 |
| TVF10-250FD | 12-10 | 25 |



Vinyl Insulated Male Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|------------|------------|-----------|
| TV18-250MD | 22-16 | 50 |
| TV14-250MD | 16-14 | 50 |
| TV10-250MD | 12-10 | 25 |



Nylon Fully Insulated Male Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-------------|------------|-----------|
| TNF18-250MD | 22-16 | 50 |
| TNF14-250MD | 16-14 | 50 |
| TNF10-250MD | 12-10 | 25 |



Vinyl Insulated Piggyback Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|------------|------------|-----------|
| TV18-250PD | 22-16 | 50 |
| TV14-250PD | 16-14 | 50 |
| TV10-250PD | 12-10 | 25 |



Vinyl Fully Insulated Female Bullet Connectors — 4mm (.156") 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TVF18-4FB | 22-16 | 50 |



Nylon Fully Insulated Female Bullet Connectors 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TNF18-4FB | 22-16 | 50 |
| TNF14-4FB | 16-14 | 50 |



Vinyl Insulated Straight Blade Terminals 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TV18-10BL | 22-16 | 50 |
| TV18-18BL | | 50 |
| TV14-10BL | 16-14 | 50 |
| TV14-18BL | | 50 |
| TV10-10BL | 12-10 | 25 |



Vinyl Insulated Male Bullet Connectors — 4mm (.156") 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|----------|------------|-----------|
| TV18-4MB | 22-16 | 50 |
| TV14-4MB | 16-14 | 50 |



Fully Insulated Nylon Male Bullet Connectors 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TNF18-4MB | 22-16 | 50 |
| TNF14-4MB | 16-14 | 50 |



Vinyl Insulated Straight Pin Terminals 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TV18-12PT | 22-16 | 50 |
| TV14-12PT | 16-14 | 50 |
| TV10-14PT | 12-10 | 25 |

Catamount® Terminals



Vinyl Insulated Ring Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|-----------|------------|-----------|-----------|
| TV18-6R | 22-16 | #6 | 50 |
| TV18-8R | | #8 | 50 |
| TV18-10R | | #10 | 50 |
| TV18-14R | | 1/4" | 50 |
| TV18-516R | | 5/16" | 50 |
| TV14-6R | 16-14 | #6 | 50 |
| TV14-8R | | #8 | 50 |
| TV14-10R | | #10 | 50 |
| TV14-14R | | 1/4" | 50 |
| TV14-516R | | 5/16" | 50 |
| TV14-38R | | 3/8" | 50 |
| TV10-6R | 12-10 | #6 | 25 |
| TV10-8R | | #8 | 25 |
| TV10-10R | | #10 | 25 |
| TV10-14R | | 1/4" | 25 |
| TV10-516R | | 5/16" | 25 |
| TV10-38R | | 3/8" | 25 |
| TV10-12R | | 1/2" | 25 |
| TV8-8R | 8 AWG | #8 | 10 |
| TV8-10R | | #10 | 10 |
| TV8-14R | | 1/4" | 10 |
| TV8-516R | | 5/16" | 10 |
| TV8-38R | | 3/8" | 10 |
| TV8-12R | | 1/2" | 10 |
| TV6-10R | 6 AWG | #10 | 10 |
| TV6-14R | | 1/4" | 10 |
| TV6-516R | | 5/16" | 10 |
| TV6-38R | | 3/8" | 10 |
| TV6-12R | | 1/2" | 10 |

*8 AWG 25 to a package **6 AWG 10 to a package



Vinyl Insulated Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|-----------|------------|-----------|-----------|
| TV18-6F | 22-16 | #6 | 50 |
| TV18-8F | | #8 | 50 |
| TV18-10F | | #10 | 50 |
| TV18-14F | | 1/4" | 50 |
| TV14-6F | 16-14 | #6 | 50 |
| TV14-8F | | #8 | 50 |
| TV14-10F | | #10 | 50 |
| TV14-14F | | 1/4" | 50 |
| TV10-6F | 12-10 | #6 | 25 |
| TV10-8F | | #8 | 25 |
| TV10-10F | | #10 | 25 |
| TV10-14F | | 1/4" | 25 |
| TV10-516F | | 5/16" | 25 |



Non-Insulated Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|----------|------------|-----------|-----------|
| T18-6F | 22-16 | #6 | 50 |
| T18-8F | | #8 | 50 |
| T18-10F | | #10 | 50 |
| T14-6F | 16-14 | #6 | 50 |
| T14-8F | | #8 | 50 |
| T14-10F | | #10 | 50 |
| T10-6F | 12-10 | #6 | 25 |
| T10-8F | | #8 | 25 |
| T10-10F | | #10 | 25 |
| T10-14F | | 1/4" | 25 |



Non-Insulated Locking Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|----------|------------|-----------|-----------|
| T18-6LF | 22-16 | #6 | 50 |
| T18-8LF | | #8 | 50 |
| T18-10LF | | #10 | 50 |
| T14-6LF | 16-14 | #6 | 50 |
| T14-8LF | | #8 | 50 |
| T14-10LF | | #10 | 50 |
| T10-6LF | 12-10 | #6 | 25 |
| T10-8LF | | #8 | 25 |
| T10-10LF | | #10 | 25 |



Vinyl Insulated Butt Splices



| CAT. NO. | WIRE RANGE | PKG. QTY. |
|----------|------------|-----------|
| TV18-BS | 22-18 | 50 |
| TV14-BS | 16-14 | 50 |
| TV10-BS | 12-10 | 25 |



Nylon Wire Joints



| CAT. NO. | WIRE RANGE | STD. PKG. QTY. |
|----------|------------|----------------|
| TN18-WJ | 22-16 | 50 |
| TN14-WJ | 16-14 | 50 |
| TN10-WJ | 12-10 | 25 |



Non-Insulated Ring Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|----------|------------|-----------|-----------|
| T18-6R | 22-16 | #4-#6 | 50 |
| T18-8R | | #8 | 50 |
| T18-10R | | #10 | 50 |
| T14-6R | 16-14 | #6 | 50 |
| T14-8R | | #8 | 50 |
| T14-10R | | #10 | 50 |
| T10-6R | 12-10 | #6 | 25 |
| T10-8R | | #8 | 25 |
| T10-10R | | #10 | 25 |
| T10-14R | | 1/4" | 25 |



Vinyl Insulated Locking Fork Terminals



| CAT. NO. | WIRE RANGE | BOLT SIZE | PKG. QTY. |
|-----------|------------|-----------|-----------|
| TV18-6LF | 22-16 | #6 | 50 |
| TV18-8LF | | #8 | 50 |
| TV18-10LF | | #10 | 50 |
| TV14-6LF | 16-14 | #6 | 50 |
| TV14-8LF | | #8 | 50 |
| TV14-10LF | | #10 | 50 |
| TV10-6LF | 12-10 | #6 | 25 |
| TV10-8LF | | #8 | 25 |
| TV10-10LF | | #10 | 25 |



Multiple Quick Splices

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TV18-00QS | 22-16 | 50 |
| TV14-00QS | 16-14 | 50 |
| TV10-00QS | 12-10 | 25 |

United States
Tel: 901.252.8000
800.816.7809
Fax: 901.252.1354

Canada
Tel: 450.347.5318
Fax: 450.347.1976

Technical Services
Tel: 888.862.3289

Thomas & Betts

www.tnb.com

Catamount® Terminals



Vinyl Insulated Female Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|------------|------------|-----------|
| TV18-250FD | 22-16 | 50 |
| TV14-250FD | 16-14 | 50 |
| TV10-250FD | 12-10 | 25 |



Nylon Fully Insulated Female Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-------------|------------|-----------|
| TNF18-250FD | 22-16 | 50 |
| TNF14-250FD | 16-14 | 50 |
| TNF10-250FD | 12-10 | 25 |



Vinyl Fully Insulated Female Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-------------|------------|-----------|
| TVF18-250FD | 22-16 | 50 |
| TVF14-250FD | 16-14 | 50 |
| TVF10-250FD | 12-10 | 25 |



Vinyl Insulated Male Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|------------|------------|-----------|
| TV18-250MD | 22-16 | 50 |
| TV14-250MD | 16-14 | 50 |
| TV10-250MD | 12-10 | 25 |



Nylon Fully Insulated Male Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-------------|------------|-----------|
| TNF18-250MD | 22-16 | 50 |
| TNF14-250MD | 16-14 | 50 |
| TNF10-250MD | 12-10 | 25 |



Vinyl Insulated Piggyback Disconnects — 250 Series 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|------------|------------|-----------|
| TV18-250PD | 22-16 | 50 |
| TV14-250PD | 16-14 | 50 |
| TV10-250PD | 12-10 | 25 |



Vinyl Fully Insulated Female Bullet Connectors — 4mm (.156") 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TVF18-4FB | 22-16 | 50 |



Nylon Fully Insulated Female Bullet Connectors 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TNF18-4FB | 22-16 | 50 |
| TNF14-4FB | 16-14 | 50 |



Vinyl Insulated Straight Blade Terminals 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TV18-10BL | 22-16 | 50 |
| TV18-18BL | | 50 |
| TV14-10BL | 16-14 | 50 |
| TV14-18BL | | 50 |
| TV10-10BL | 12-10 | 25 |



Vinyl Insulated Male Bullet Connectors — 4mm (.156") 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|----------|------------|-----------|
| TV18-4MB | 22-16 | 50 |
| TV14-4MB | 16-14 | 50 |



Fully Insulated Nylon Male Bullet Connectors 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TNF18-4MB | 22-16 | 50 |
| TNF14-4MB | 16-14 | 50 |



Vinyl Insulated Straight Pin Terminals 

| CAT. NO. | WIRE RANGE | PKG. QTY. |
|-----------|------------|-----------|
| TV18-12PT | 22-16 | 50 |
| TV14-12PT | 16-14 | 50 |
| TV10-14PT | 12-10 | 25 |