Specifications







Eaton UTH7330UCH

Eaton meter socket, 1-pos commercial or resi service, 320A, Over/under, 5x5 inch hub cover plate, 3/8 inch stud, 7-jaw, three-phase, 3/8 inch stud, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 4-wire, Ringless, 600 Vac

| General specifications | | |
|-------------------------|---|--|
| PRODUCT NAME | Eaton meter socket | |
| CATALOG NUMBER | UTH7330UCH | |
| UPC | 782116016686 | |
| PRODUCT LENGTH/DEPTH | 6.5 in | |
| PRODUCT HEIGHT | 39.88 in | |
| PRODUCT WIDTH | 20 in | |
| PRODUCT WEIGHT | 60 lb | |
| WARRANTY | Eaton Selling Policy 25- 000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. | |
| CERTIFICATIONS | UL Listed | |



| Product specifications | | |
|------------------------|---|--|
| ТҮРЕ | Single-position commercial or residential service | |
| AMPERAGE RATING | 320A | |
| FEED TYPE | Top/bottom | |
| NUMBER OF JAWS | Seven-jaw | |
| PHASE | Three-phase | |
| UTILITY APPROVALS | ME: Central Maine Power NM: El Paso Electric TX: El Paso Electric AR: Entergy LA: Entergy MS: Entergy TX: Entergy KY: Louisville Gas & Electric/Kentucky Utilities TN: Middle Tennessee EMC | |
| LINE | 3/8 in stud | |
| LOAD | 3/8 in stud | |
| NUMBER OF WIRES | Four-wire | |
| HUB TYPE | 5 x 5 hub cover plate | |
| SECURITY | Ringless | |
| VOLTAGE RATING | 600 V | |
| BYPASS | Lever | |
| NUMBER OF SOCKETS | 1 | |

| Resources | |
|-------------------------------|--|
| CATALOGS | Residential and Light Commercial, Metering Products, Volume 1 Tab 4 |
| SPECIFICATIONS AND DATASHEETS | <u>Eaton Specification Sheet -</u> <u>UTH7330UCH</u> |
| WARRANTY GUIDES | Selling Policy 25-000 - Distribution and Control Products and Services |

| PROJECT NAME: | |
|-----------------|--|
| PROJECT NUMBER: | |
| PREPARED BY: | |
| DATE: | |



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com





information.



latest product and support

Follow us on social media to get the



